



US00D404359S

United States Patent [19]

Brorsson et al.

[11] Patent Number: **Des. 404,359**

[45] Date of Patent: ****Jan. 19, 1999**

[54] **CONNECTOR HOUSING**

[75] Inventors: **Lena Charlott Brorsson, Lund; Jan Gustav Atterklint, Skärholmen; Sven Ingvar Sjöqvist, Tullinge, all of Sweden; Jacobus Nicolaas Tuin, CW Best, Netherlands; Carl-Magnus Hansson, Lund, Sweden**

[73] Assignee: **Telefonaktiebolaget LM Ericsson, Stockholm, Sweden**

[**] Term: **14 Years**

[21] Appl. No.: **60,686**

[22] Filed: **Oct. 4, 1996**

[30] **Foreign Application Priority Data**

Apr. 4, 1996 [SE] Sweden 96-0774

[51] **LOC (6) Cl. 13-03**

[52] **U.S. Cl. D13/147**

[58] **Field of Search D13/133, 146, D13/147; 174/50.52; 439/606-610, 638, 701, 597, 598, 680, 681; 361/600, 747**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 205,509 8/1966 Reynolds D13/147

D. 328,590 8/1992 Tanaka D13/147
D. 340,913 11/1993 Miller D13/147 X
D. 351,136 10/1994 Kurata D13/147
3,350,426 10/1967 Snyder, Jr. D13/147 X
3,621,112 11/1971 Stickley 174/50.52

Primary Examiner—Alan P. Douglas
Assistant Examiner—Lavone D. Tabor
Attorney, Agent, or Firm—Burns, Doane, Swecker & Mathis, L.L.P.

[57] **CLAIM**

The ornamental design for a connector housing, as shown and described.

DESCRIPTION



FIG. 1 is a front, top, and side perspective view of a connector housing showing our new design;

FIG. 2 is a rear, bottom, and opposite side perspective view thereof;

FIG. 3 is a front perspective thereof, shown without the locking spring for clarity of illustration only; and,

FIG. 4 is a rear perspective view of FIG. 3 .

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4