



US00D404504S

United States Patent [19]
Dickey

[11] **Patent Number: Des. 404,504**
[45] **Date of Patent: **Jan. 19, 1999**

[54] **PERIMETER SKIRTING FOR ELEVATED STRUCTURES**

[75] Inventor: **Eric B. Dickey**, Overland Park, Kans.

[73] Assignee: **Variform, Inc.**, Kearney, Mo.

[**] Term: **14 Years**

[21] Appl. No.: **78,511**

[22] Filed: **Oct. 28, 1997**

[51] **LOC (6) Cl.** **25-01**

[52] **U.S. Cl.** **D25/125**

[58] **Field of Search** D25/125, 138;
52/169.12, DIG. 3, 537, 555, 533, 534,
554

[56] **References Cited**

U.S. PATENT DOCUMENTS

Re. 28,987	10/1976	Iacona .	
D. 216,836	3/1970	Faulkner	D25/125
D. 238,898	2/1976	Landis et al.	D25/119
D. 355,494	2/1995	Fenske .	
1,336,945	4/1920	Dickelman .	
2,250,764	8/1941	Hoess .	
2,706,838	4/1955	Sears .	
3,383,819	5/1968	Zimmer et al. .	
3,537,218	11/1970	Hindman .	

(List continued on next page.)

OTHER PUBLICATIONS

Parkside Ventilated Vinyl Skirting brochure; Georgia-Pacific (1996).

Variform Vinyl Skirting System brochure (2pgs.); 1992; Variform, Inc.

T-Lok Vinyl Skirt brochure (2pgs.); 1991; Alcoa Building Products, Inc.

25th Anniversar Catalog brochure (3pgs.); 1987; Kaufman Mobile Home Supplies, Inc.

Vented T-Lok Skirting Panel brochure (1pg.).

Primary Examiner—Doris Clark

Attorney, Agent, or Firm—Hovey, Williams, Timmons & Collins

[57] **CLAIM**

The ornamental design for a perimeter skirting for elevated structures, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of my new design for vented perimeter skirting for elevated structures, with the particular interlock at each end of the skirting panel shown in dotted lines to illustrate the environment of use;

FIG. 2 is a front elevation view thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a right side elevational view thereof;

FIG. 5 is a rear elevational view thereof;

FIG. 6 is a bottom plan view thereof;

FIG. 7 is a left side elevational view thereof;

FIG. 8 is a front elevational view of a second embodiment of my new design for vented perimeter skirting for elevated structures, with the interlock structure being shown the environment of use;

FIG. 9 is a top plan view thereof;

FIG. 10 is a right side elevational view thereof;

FIG. 11 is a rear elevational view thereof;

FIG. 12 is a bottom plan view thereof;

FIG. 13 is a left side elevational view thereof;

FIG. 14 is a front elevational view of a third embodiment of my new design for vented perimeter skirting for elevated structures, with the interlock structure being shown in dotted lines to show in environment of use;

FIG. 15 is a top plan view thereof;

FIG. 16 is a right side elevational view thereof;

FIG. 17 is a rear elevational view thereof;

FIG. 18 is a bottom plan view thereof;

FIG. 19 is a left side elevational view thereof;

FIG. 20 is a front elevational view of a fourth embodiment of my new design for vented perimeter skirting for elevated structures, with the interlock being shown in dotted lines to show the environment of use;

FIG. 21 is a top plan view thereof;


FIG. 22 is a right side elevational view thereof;

FIG. 23 is a rear elevational view thereof;

FIG. 24 is a bottom plan view thereof; and,

FIG. 25 is a left side elevational view thereof.

1 Claim, 9 Drawing Sheets



Des. 404,504

Page 2

U.S. PATENT DOCUMENTS

3,596,420	8/1971	Decker .	4,010,584	3/1977	Barnes, Jr. .
3,785,675	1/1974	Norris et al. .	4,043,088	8/1977	Payton .
3,810,774	5/1974	Pittman .	4,400,919	8/1983	Szabo et al. .
3,827,201	8/1974	Struben .	4,549,378	10/1985	Ayers et al. .
3,832,813	9/1974	Hindman .	4,580,384	4/1986	Hutcheson .
			4,843,793	7/1989	Ayers .
			5,022,207	6/1991	Hartnett .





FIG. 1.



FIG. 3.

FIG. 4.

FIG. 2.






FIG. 7.




FIG. 5.




FIG. 6.



FIG. 9.

FIG. 10.

FIG. 8.






FIG. 13.




FIG. 11.




FIG. 12.





FIG. 15.

FIG. 16.

FIG. 14.








FIG. 17.

FIG. 19.

FIG. 18.







FIG. 21.

FIG. 22.

FIG. 20.






FIG. 23.

FIG. 25.




FIG. 24.