



US00D404631S

United States Patent [19]

[11] **Patent Number: Des. 404,631**

Beam

[45] **Date of Patent: **Jan. 26, 1999**

[54] **COMBINED HAMMER AND MALLET**

2,482,909	9/1949	Hertz	81/24
2,604,914	7/1952	Kahlen	81/25
2,833,323	5/1958	Strickland	81/26
4,039,012	8/1977	Cook	81/25

[76] Inventor: **Michael T. Beam**, 9010 184th St. SW.,
Edmonds, Wash. 98026

[**] Term: **14 Years**

Primary Examiner—Philip S. Hyder

[21] Appl. No.: **67,966**

[57] **CLAIM**

[22] Filed: **Apr. 15, 1997**

The ornamental design for a combined hammer and mallet, as shown.

[51] **LOC (6) Cl.** **08-02**

[52] **U.S. Cl.** **D8/77**

[58] **Field of Search** D8/75, 76, 77,
D8/78, 79, 80; 81/19, 20, 21, 22, 23, 24,
25, 26

DESCRIPTION


FIG. 1 is a perspective view of a combined hammer and mallet, showing my new design;
FIG. 2 is a right side elevational view thereof;
FIG. 3 is a front elevational view thereof;
FIG. 4 is a left side elevational view thereof;
FIG. 5 is a rear elevational view thereof;
FIG. 6 is a top plan view thereof; and,
FIG. 7 is a bottom plan view thereof.

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 182,132	2/1958	MacMinn	D8/77
D. 182,134	2/1958	MacMinn	D8/77
D. 302,932	8/1989	Chapin et al.	D8/77
D. 384,564	10/1997	Bengtsson et al.	D8/75

1 Claim, 4 Drawing Sheets






Figure 1




Figure 2




Figure 3




Figure 4




Figure 5




Figure 6




Figure 7