



US00D404635S

**United States Patent** [19]  
**Yang**

[11] **Patent Number: Des. 404,635**

[45] **Date of Patent: \*\*Jan. 26, 1999**

[54] **COMBINATION LOCK**

[76] Inventor: **Yaw-Kuen Yang**, No. 190-30, Chang Shoei Rd., Chung Hua, Taiwan

[\*\*] Term: **14 Years**

[21] Appl. No.: **60,488**

[22] Filed: **Sep. 30, 1996**

[51] **LOC (6) Cl. .... 08-07**

[52] **U.S. Cl. .... D8/331**

[58] **Field of Search .... D8/330-331, 333, D8/334; 70/23, 32**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

|            |        |                  |        |   |
|------------|--------|------------------|--------|---|
| D. 335,813 | 5/1993 | Appelbaum .....  | D8/331 | X |
| D. 336,030 | 6/1993 | Falk et al. .... | D8/331 | X |
| D. 346,948 | 5/1994 | Pedlar .....     | D8/334 |   |
| 5,345,794  | 9/1994 | Jenks .....      | 70/14  |   |

*Primary Examiner*—Brian N. Vinson  
*Attorney, Agent, or Firm*—Browdy and Neimark


[57] **CLAIM**

The ornamental design for a “combination lock”, as shown and described.

**DESCRIPTION**

FIG. 1 shows a perspective view of the present design; FIG. 2 shows a front elevational view of the present design; FIG. 3 shows a rear elevational view of the present design; FIG. 4 shows a left elevational view of the present design; FIG. 5 shows a right elevational view of the present design; FIG. 6 shows a top plan view of the present design; FIG. 7 shows a bottom plan view of the present design; and, FIG. 8 shows a front elevational view thereof, with the broken-line disclosure of a locked element being for illustrative purposes only and forming no part of the claimed design.

**1 Claim, 2 Drawing Sheets**






FIG. 1




FIG. 6




FIG. 3




FIG. 4




FIG. 2




FIG. 5




FIG. 7




FIG. 8