



US00D404635S

**United States Patent** [19]  
**Yang**

[11] **Patent Number:** **Des. 404,635**  
[45] **Date of Patent:** **\*\*Jan. 26, 1999**

[54] **COMBINATION LOCK**  
[76] Inventor: **Yaw-Kuen Yang**, No. 190-30, Chang  
Shoei Rd., Chung Hua, Taiwan  
[\*\*] Term: **14 Years**  
[21] Appl. No.: **60,488**  
[22] Filed: **Sep. 30, 1996**  
[51] **LOC (6) Cl.** ..... **08-07**  
[52] **U.S. Cl.** ..... **D8/331**  
[58] **Field of Search** ..... D8/330-331, 333,  
D8/334; 70/23, 32


[56] **References Cited**  
**U.S. PATENT DOCUMENTS**  
D. 335,813 5/1993 Appelbaum ..... D8/331 X  
D. 336,030 6/1993 Falk et al. .... D8/331 X  
D. 346,948 5/1994 Pedlar ..... D8/334  
5,345,794 9/1994 Jenks ..... 70/14

*Primary Examiner*—Brian N. Vinson  
*Attorney, Agent, or Firm*—Browdy and Neimark

[57] **CLAIM**  
The ornamental design for a “combination lock”, as shown  
and described.

**DESCRIPTION**  
FIG. 1 shows a perspective view of the present design;  
FIG. 2 shows a front elevational view of the present design;  
FIG. 3 shows a rear elevational view of the present design;  
FIG. 4 shows a left elevational view of the present design;  
FIG. 5 shows a right elevational view of the present design;  
FIG. 6 shows a top plan view of the present design;  
FIG. 7 shows a bottom plan view of the present design; and,  
FIG. 8 shows a front elevational view thereof, with the  
broken-line disclosure of a locked element being for illus-  
trative purposes only and forming no part of the claimed  
design.

**1 Claim, 2 Drawing Sheets**






FIG. 1




FIG. 6




FIG. 3




FIG. 4




FIG. 2




FIG. 5




FIG. 7




FIG. 8