



US00D404711S

United States Patent [19]

Lai et al.

[11] **Patent Number: Des. 404,711**
[45] **Date of Patent: **Jan. 26, 1999**

[54] **ELECTRICAL CONNECTOR**

[75] Inventors: **Chin-Yi Lai; Kun-Tsan Wu**, both of
Tu-Chen, Taiwan

[73] Assignee: **Hon Hai Precision Ind. Co., Ltd.**,
Taipei Hsien, Taiwan

[**] Term: **14 Years**

[21] Appl. No.: **79,657**

[22] Filed: **Nov. 21, 1997**

[30] **Foreign Application Priority Data**

May 30, 1997 [TW] Taiwan 96304707

[51] **LOC (6) Cl.** **13-03**

[52] **U.S. Cl.** **D13/147**

[58] **Field of Search** D13/133, 146,
D13/147; 439/74, 79-81, 607, 101, 108,
267, 947

[56] **References Cited**

U.S. PATENT DOCUMENTS

5,470,237 11/1995 Byczek et al. 439/607 X

5,545,051 8/1996 Summers et al. 439/74 X
5,554,036 9/1996 Shirai et al. 439/74
5,752,841 5/1998 Hori 439/108

OTHER PUBLICATIONS

MOLEX, Catalog No. 890, SIMM Socket-78863 Series, p. 6F & Ribbon Cable Connector-5380 Dip Series, p. 27B, 1990.

Primary Examiner—Alan P. Douglas
Assistant Examiner—Lavone D. Tabor



[57] **CLAIM**

The ornamental design for an electrical connector, as shown.

DESCRIPTION

FIG. 1 is a perspective view of an electrical connector showing my new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a left side elevational view thereof;
FIG. 5 is a right side elevational view thereof;
FIG. 6 is a top plan view thereof; and,
FIG. 7 is a bottom plan view thereof.

1 Claim, 7 Drawing Sheets






FIG.1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7