



US00D404731S

# United States Patent [19] Mayer

[11] **Patent Number: Des. 404,731**

[45] **Date of Patent: \*\*Jan. 26, 1999**

[54] **THREE AXIS, THREE BUTTON MOUSE**

D. 385,862	11/1997	Tseng	.....	D14/114
D. 386,483	11/1997	Cheng	.....	D14/114
5,473,344	12/1995	Bacon et al.	.	
5,712,725	1/1998	Faltermeier et al.	.	

[75] Inventor: **William J. Mayer**, South Barrington, Ill.

[73] Assignee: **AccuMed International, Inc.**, Chicago, Ill.

*Primary Examiner*—M. H. Tung  
*Attorney, Agent, or Firm*—McDonnell Boehnen Hulbert & Berghoff

[\*\*] Term: **14 Years**

### [57] CLAIM

[21] Appl. No.: **82,182**

The ornamental design for a three axis, three button mouse, as shown and described.

[22] Filed: **Jan. 16, 1998**

### DESCRIPTION

[51] **LOC (6) Cl.** ..... **14-02**

[52] **U.S. Cl.** ..... **D14/117.3**

[58] **Field of Search** ..... D14/114, 117.1–117.9;  
D13/158; D21/385, 333; 200/5 R, 5 A,  
6 R, 6 A; 273/148 B; 345/156–67; 74/472 XY

FIG. 1 is a perspective view of the mouse;  
FIG. 2 is a top view of the mouse;  
FIG. 3 is a left side view of the mouse;  
FIG. 4 is a right side view of the mouse;  
FIG. 5 is a bottom view of the mouse;  
FIG. 6 is a front view of the mouse; and,  
FIG. 7 is a back view of the mouse.

### [56] References Cited

#### U.S. PATENT DOCUMENTS

D. 373,122	8/1996	Lo	.....	D14/114
D. 373,760	9/1996	Willheim	.....	D14/114
D. 373,999	9/1996	Staats	.....	D14/114
D. 377,486	1/1997	Shih et al.	.....	D14/114
D. 377,487	1/1997	Shih et al.	.....	D14/114

The broken line drawings of top and side buttons and the cord in all views are for illustrative purposes only and form no part of the claimed design.

**1 Claim, 2 Drawing Sheets**




FIG. 1




FIG. 2




FIG. 3




FIG.4




FIG.5




FIG.6




FIG.7

