



US00D404750S

United States Patent [19] Koinuma

[11] **Patent Number: Des. 404,750**

[45] **Date of Patent: **Jan. 26, 1999**

[54] **35 MM CAMERA**

D. 381,350 7/1997 Hamamura D16/209
4,990,945 2/1991 Cho et al. 396/84

[75] Inventor: **Masahiro Koinuma**, Saitama, Japan

[73] Assignee: **Asahi Kogaku Kogyo Kabushiki Kaisha**, Tokyo, Japan

[**] Term: **14 Years**

Primary Examiner—Ted Shooman
Assistant Examiner—Adir Aronovich
Attorney, Agent, or Firm—Sughrue, Mion, Zinn, Macpeak & Seas, PLLC

[21] Appl. No.: **83,916**

[22] Filed: **Feb. 20, 1998**

[57] **CLAIM**

The ornamental design for a 33 MM camera, as shown and described.

[30] **Foreign Application Priority Data**

Aug. 22, 1997 [JP] Japan 9-65538

[51] **LOC (6) Cl.** **16-01**

[52] **U.S. Cl.** **D16/209; D16/218**

[58] **Field of Search** D16/200–205,
D16/208–209, 211–213, 216–218; 396/84,
535–543

DESCRIPTION

FIG. 1 is a top, front and left side perspective view of a 35 MM camera showing my new design with the lens cover closed;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a left side elevational view thereof;

FIG. 5 is a right side elevational view thereof;

FIG. 6 is a rear elevational view thereof;

FIG. 7 is a bottom plan view thereof;

FIG. 8 is a perspective view similar to FIG. 1 with the lens cover open and the lens in partially extended position; and,

FIG. 9 is a perspective view thereof, with the lens in fully extended position.

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 357,265 4/1995 Hamamura D16/209
D. 359,299 6/1995 Moro et al. D16/209
D. 359,976 7/1995 Matsuda D16/218
D. 371,375 7/1996 Hayashi D16/209

1 Claim, 5 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7





FIG. 8






FIG. 9