



US00D405021S

**United States Patent** [19]  
**Steele**

[11] **Patent Number: Des. 405,021**

[45] **Date of Patent: \*\*Feb. 2, 1999**

[54] **REMOTE LOCATOR**

[76] Inventor: **Charles E. Steele**, 6032 Porter Ridge  
La., Canton, Mich. 48187

[\*\*] Term: **14 Years**

[21] Appl. No.: **84,600**

[22] Filed: **Mar. 5, 1998**

[51] **LOC (6) Cl.** ..... **10-05**

[52] **U.S. Cl.** ..... **D10/104**

[58] **Field of Search** ..... D10/104, 106,  
D10/116, 121; 340/540, 541, 545, 565,  
566, 571, 572, 573; D14/95, 174

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 360,154	7/1995	Jung	.....	D10/104
D. 373,317	9/1996	Feng et al.	.....	D10/104
D. 377,767	2/1997	Doppelt et al.	.....	D10/104
D. 385,208	10/1997	Chui	.....	D10/104
D. 388,349	12/1997	Youabian	.....	D10/104
D. 391,509	3/1998	Hwang	.....	D10/104

*Primary Examiner*—Marcus A. Jackson  
*Attorney, Agent, or Firm*—Brooks & Kushman P.C.



[57] **CLAIM**

The ornamental design for a remote locator, as shown and described.

**DESCRIPTION**

FIG. 1 is a front view of a remote locator showing a first embodiment of my new design;  
FIG. 2 is a left side view thereof, with the right side being a mirror image;  
FIG. 3 is a bottom plan view thereof;  
FIG. 4 is a top plan view thereof;  
FIG. 5 is a rear view thereof;  
FIG. 6 is a front view of a remote locator showing a second embodiment of my new design;  
FIG. 7 is a rear view thereof;  
FIG. 8 is a front view of a remote locator showing a third embodiment of my new design;  
FIG. 9 is a front view of a remote locator showing a third embodiment of my new design; and,  
FIG. 10 is a top plan view thereof.

**1 Claim, 1 Drawing Sheet**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9



FIG. 10