



US00D405034S

# United States Patent [19] Takada

[11] Patent Number: **Des. 405,034**

[45] Date of Patent: **\*\*Feb. 2, 1999**

[54] **AUTOMOBILE TIRE**

[75] Inventor: **Yoshiyuki Takada**, Kobe, Japan

[73] Assignee: **Suitomo Rubber Industries, Ltd.**,  
Kobe, Japan

[\*\*] Term: **14 Years**

[21] Appl. No.: **79,198**

[22] Filed: **Nov. 14, 1997**

[30] **Foreign Application Priority Data**

May 15, 1997 [JP] Japan ..... 9-54556

[51] **LOC (6) Cl.** ..... **12-15**

[52] **U.S. Cl.** ..... **D12/146**

[58] **Field of Search** ..... D12/136, 138,  
D12/140-152; 152/209 R, 209 A, 209 D

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

|            |         |              |       |         |
|------------|---------|--------------|-------|---------|
| D. 316,239 | 4/1991  | Tsuda et al. | ..... | D12/145 |
| D. 317,427 | 6/1991  | Enoki et al. | ..... | D12/143 |
| D. 317,737 | 6/1991  | Enoki et al. | ..... | D12/143 |
| D. 318,035 | 7/1991  | Enoki et al. | ..... | D12/143 |
| D. 326,251 | 5/1992  | Aoki et al.  | ..... | D12/141 |
| D. 338,178 | 8/1993  | Yamashita .  |       |         |
| D. 338,435 | 8/1993  | Yamashita    | ..... | D12/141 |
| D. 371,758 | 7/1996  | Kimura       | ..... | D12/141 |
| D. 374,200 | 10/1996 | Kinoshita    | ..... | D12/141 |

|            |         |             |       |           |
|------------|---------|-------------|-------|-----------|
| D. 385,236 | 10/1997 | Taguchi     | ..... | D12/145   |
| 4,724,878  | 2/1988  | Kabe et al. | ..... | 152/209 R |
| 5,099,899  | 3/1992  | Takeuchi    | ..... | 152/209 R |

**OTHER PUBLICATIONS**

Mohawk Avanti Touring Tire, 1996 Tread Design Guide, p. 51, Feb. 1996.

Yokohama Y785R Tire, 1995 Tread Design Guide, p. 121, Jan. 1995.

Kumho Power Fleet 982 Tire, 1995 Tread Design Guide, p. 145, Jan. 1995.

*Primary Examiner*—Robert M. Spear  
*Attorney, Agent, or Firm*—Pillsbury Madison & Sutro

[57] **CLAIM**

The ornamental design for an automobile tire, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of an automobile tire showing my new design, it being understood that the tread design is repeated uniformly throughout the circumference of the tire and the opposite side is the same as that shown; FIG. 2 is a front elevational view thereof; FIG. 3 is a top plan view thereof; FIG. 4 is a left side view thereof; FIG. 5 is a right side view thereof; and, FIG. 6 is an enlarged fragmentary front elevational view thereof.

**1 Claim, 2 Drawing Sheets**




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

