



US00D405065S

United States Patent

[19]

Shimanuki et al.

[11] **Patent Number:** Des. 405,065[45] **Date of Patent:** **Feb. 2, 1999

[54] SCANNER

[75] Inventors: **Fumikazu Shimanuki**, Nara-ken; **Hidechika Harada**, Osaka-fu, both of Japan[73] Assignee: **Sharp Kabushiki Kaisha**, Osaka, Japan[**] Term: **14 Years**[21] Appl. No.: **80,781**[22] Filed: **Dec. 18, 1997**[30] **Foreign Application Priority Data**

Jun. 18, 1997 [JP] Japan 9-58641

[51] LOC (6) Cl. **14-02**[52] U.S. Cl. **D14/107**[58] Field of Search D14/100, 102,
D14/107-109; D13/162, 184, 199; D6/432,
436, 445, 448; 312/208.1; 360/99.12; 361/694,
696[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 357,907 5/1995 Kosako et al. .

D. 372,227 7/1996 Ohta D14/107
D. 380,742 7/1997 Van De Loo D14/107
D. 383,450 9/1997 Iimura D14/107*Primary Examiner*—Freda Nunn
Attorney, Agent, or Firm—Nixon & Vanderhye[57] **CLAIM**

The ornamental design for a scanner, as shown and described.

DESCRIPTION

FIG. 1 is a top, front and right side perspective view of a scanner according to our design;

FIG. 2 is a rear elevational view thereof;


FIG. 3 is a bottom plan view thereof;

FIG. 4 is a front elevational view thereof;

FIG. 5 is a top plan view thereof;

FIG. 6 is a left side elevational view thereof; and,

FIG. 7 is a right side elevational view thereof.

1 Claim, 4 Drawing Sheets




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7