



US00D405136S

# United States Patent [19] Behling

[11] **Patent Number:** **Des. 405,136**

[45] **Date of Patent:** **\*\*Feb. 2, 1999**

[54] **GOLF PUTTER HEAD**

[76] Inventor: **Gary A. Behling**, 1940 Weiss St.,  
Saginaw, Mich. 48602

[\*\*] Term: **14 Years**

[21] Appl. No.: **87,558**

[22] Filed: **May 5, 1998**

[51] **LOC (6) Cl.** ..... **21-02**

[52] **U.S. Cl.** ..... **D21/736**

[58] **Field of Search** ..... D21/736-746;  
473/251-256, 340, 341

- 5,362,056 11/1994 Minotti .
- 5,382,019 1/1995 Sneed .
- 5,383,664 1/1995 Epperson et al. .
- 5,433,441 7/1995 Olsen et al. .
- 5,441,272 8/1995 Artola .
- 5,458,332 10/1995 Fisher .
- 5,460,375 10/1995 Hardee .
- 5,467,987 11/1995 Perkins et al. .
- 5,542,675 8/1996 Micciche et al. .
- 5,597,364 1/1997 Thompson .
- 5,632,694 5/1997 Lee .

*Primary Examiner*—Ted Shooman  
*Assistant Examiner*—Mitchell I. Siegel  
*Attorney, Agent, or Firm*—Reising, Ethington, Learman & McCulloch, PLLC

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

- D. 138,380 7/1944 Myers et al. .
- D. 183,091 6/1958 Handzlik ..... D21/738
- D. 197,238 12/1963 Lilly .
- D. 208,984 10/1967 Huelsman et al. .
- D. 209,294 11/1967 Hitt .
- D. 227,794 7/1973 Sasse ..... D21/738
- D. 228,513 10/1973 Brower .
- D. 239,454 4/1976 Giambazi .
- D. 303,559 9/1989 Florian .
- D. 378,934 4/1997 Clanton .
- D. 380,513 7/1997 Noda ..... D21/736
- D. 385,321 10/1997 Quattrochi .
- 1,038,429 9/1912 Penny .
- 1,211,708 1/1917 Hudson .
- 1,467,714 9/1923 Doerr .
- 2,472,978 6/1949 Mahon .
- 2,665,909 1/1954 Wilson .
- 2,826,417 3/1958 Marcoccio .
- 3,194,564 7/1965 Swan .
- 3,328,032 6/1967 Griswold .
- 3,384,376 5/1968 Greenlee .
- 3,399,898 9/1968 Burkland .
- 4,290,606 9/1981 Maxwell .
- 4,650,191 3/1987 Mills .
- 5,273,282 12/1993 Cannon .
- 5,333,873 8/1994 Burke .
- 5,354,060 10/1994 Wooten .

[57] **CLAIM**

The ornamental design for a golf putter head, as shown and described.

**DESCRIPTION**

FIG. 1 is a rear elevation view;  
 FIG. 2 is a side elevation view;  
 FIG. 3 is a top plan view;  
 FIG. 4 is a front elevation view;  
 FIG. 5 is a opposite side elevation view;  
 FIG. 6 is a bottom plan view;  
 FIG. 7 is a rear elevation view of an alternative embodiment;  
 FIG. 8 is a side elevation view of the alternative embodiment;  
 FIG. 9 is top plan view of the alternative embodiment;  
 FIG. 10 is a front elevation view of the alternative embodiment;  
 FIG. 11 is an opposite side elevation view of the alternative embodiment; and,  
 FIG. 12 is a bottom plan view of the alternative embodiment;  
 The broken line showing of a fragmented shaft is for illustrative purposes only and forms no part of the claimed design.

**1 Claim, 4 Drawing Sheets**



FIG-1




FIG-2




FIG-3

FIG-4





FIG-5



FIG-6

FIG-7




FIG-8



FIG-9

FIG-10




FIG-11




FIG-12