



US00D405254S

United States Patent [19] Hopper

[11] **Patent Number: Des. 405,254**

[45] **Date of Patent: **Feb. 9, 1999**

[54] **INSULATED CARRYING CASE**

Primary Examiner—Terry A. Wallace

[76] Inventor: **Lucinda R. Hopper**, 527 Ridge Rd.,
Maynardville, Tenn. 37807

[57] **CLAIM**

The ornamental design for a insulated carrying case, as shown.

[**] Term: **14 Years**

DESCRIPTION

[21] Appl. No.: **83,602**

FIG. 1 is a front elevational view of the insulated carrying case of the present design;

[22] Filed: **Feb. 12, 1998**

FIG. 2 is a back elevational view of the insulated carrying case of FIG. 1;

[51] **LOC (6) Cl. 03-01**

[52] **U.S. Cl. D3/203; D7/605**

FIG. 3 is a left side elevational view of the insulated carrying case of FIG. 1;

[58] **Field of Search D7/605, 607, 709,
D7/710; 62/457.1, 457.7, 371; D3/273,
276, 283, 287, 289, 290, 301, 203; 220/410-412;
383/109, 110, 113; D24/216, 231**

FIG. 4 is a right side elevational view of the insulated carrying case of FIG. 1;

[56] **References Cited**



FIG. 5 is a top plan view of the insulated carrying case of FIG. 1; and,

U.S. PATENT DOCUMENTS

FIG. 6 is a bottom plan view of the insulated carrying case of FIG. 1.

- D. 325,126 4/1992 Costello D3/203
- D. 340,132 10/1993 Coyle et al. D3/203
- D. 352,606 11/1994 Cylvick et al. D3/203

1 Claim, 3 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6