



US00D405296S

United States Patent [19]
Komarov

[11] **Patent Number: Des. 405,296**

[45] **Date of Patent: **Feb. 9, 1999**

[54] **PIN DISPLAY STAND**

[75] Inventor: **Felix Komarov**, New York, N.Y.

[73] Assignee: **Russian World Gallery, Inc.**, New York, N.Y.

[**] Term: **14 Years**

[21] Appl. No.: **83,452**

[22] Filed: **Feb. 10, 1998**

[51] **LOC (6) Cl.** **06-04**

[52] **U.S. Cl.** **D6/469**

[58] **Field of Search** D6/449, 466-468,
D6/469, 473-476; 248/176.1; 211/85.2,
85.3, 163; 206/6.1, 294, 457; D3/903

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 269,145	5/1983	Druiz et al.	D6/468
D. 316,197	4/1991	Baker	D6/469
D. 363,602	10/1995	Asher	D3/905
4,322,007	3/1982	Feibelman	211/163
5,062,526	11/1991	Rudnick et al.	206/6.1

Primary Examiner—James Gandy
Assistant Examiner—Linda Brooks

Attorney, Agent, or Firm—Lerner, David, Littenberg, Krumholz & Mentlik

[57] **CLAIM**

The ornamental design for a pin display stand, as shown and described.

DESCRIPTION

FIG. 1 is a front, perspective view of the pin display stand in accordance with the present invention;

FIG. 2 is a rear perspective view thereof;

FIG. 3 is a front view thereof, with a sample pin and signature in broken lines for purposes of illustration only and forming no part of the claimed design;

FIG. 4 is a top plan view thereof;

FIG. 5 is a right side view, the left side view being a mirror image thereof;

FIG. 6 is a rear view thereof; and

FIG. 7 is bottom plan view thereof; and,

FIG. 8 is a second embodiment of FIG. 1, the only difference being the removal of the recess from the rear wall, it being understood that all the other surfaces are the same as the first embodiment shown in FIGS. 1-7.

1 Claim, 4 Drawing Sheets





FIG. 1




FIG. 2




FIG. 4




FIG. 3




FIG. 5




FIG. 6




FIG. 7




FIG. 8

