



US00D405328S

United States Patent [19]
Bott

[11] **Patent Number: Des. 405,328**

[45] **Date of Patent: **Feb. 9, 1999**

[54] **SEED OR BULB DRILL**

[75] Inventor: **John Anthony Bott**, Sheffield, England

[73] Assignee: **James Neill Holdings Limited**,
Sheffield, England

[**] Term: **14 Years**

[21] Appl. No.: **82,101**

[22] Filed: **Jan. 14, 1998**

[30] **Foreign Application Priority Data**

Jul. 19, 1997 [GB] United Kingdom 2067536

[51] **LOC (6) Cl.** **08-01**

[52] **U.S. Cl.** **D8/1**

[58] **Field of Search** D8/1, 7, 9; 172/371-372,
172/375-376, 21; 294/50.5; 111/14, 106

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 309,242 7/1990 Laslo D8/1 X
1,939,897 12/1933 Hill 294/50.5

Primary Examiner—Holly Baynham
Attorney, Agent, or Firm—Trexler, Bushnell, Giangiorgi &
Blackstone, Ltd.

[57] **CLAIM**

The ornamental design for a seed or bulb drill, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a seed or bulb drill and showing my new design;

FIG. 2 is a front side elevational view of the seed or bulb drill;

FIG. 3 is a left side elevational view of the seed or bulb drill;


FIG. 4 is a top plan view of the seed or bulb drill; and,

FIG. 5 is a bottom plan view of the seed or bulb drill.

While FIG. 2 illustrates a front side elevational view of the seed or bulb drill, the rear side elevational view of the seed or bulb drill would be the same.

While FIG. 3 illustrates a left side elevational view of the seed or bulb drill, the right side elevational view of the seed or bulb drill would be the same.

1 Claim, 2 Drawing Sheets






Fig. 1

Fig. 2




Fig. 3




Fig. 4




Fig. 5

