



US00D405396S

# United States Patent [19]

McKisson et al.

[11] Patent Number: Des. 405,396

[45] Date of Patent: \*\*Feb. 9, 1999

[54] TIRE TREAD

[75] Inventors: Eileen Ann McKisson, Richfield, Ohio;  
Ellen MacDonald Williams, Greer, S.C.

[73] Assignee: Michelin Recherche et Technique,  
Switzerland

[\*\*] Term: 14 Years

[21] Appl. No.: 85,788

[22] Filed: Mar. 30, 1998

[51] LOC (6) Cl. .... 12-15

[52] U.S. Cl. .... D12/141

[58] Field of Search ..... D12/136-138,  
D12/140, 142-151; 152/209 R, 209 A,  
209 D

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 354,028 1/1995 Hutz ..... D12/146
- D. 386,471 11/1997 Attinello ..... D12/147
- D. 397,653 9/1998 Heinen ..... D12/147

OTHER PUBLICATIONS

Avon CR338 Tire, 1996 Tread Design Guide, p. 10, Feb. 1996.

Kleber C701H, C 651H, C 601H Tire, 1996 Tread Design Guide, p. 41, Feb. 1996.

Michelin Rain Force MX4 Tire, 1996 Tread Design Guide, p. 49, Feb. 1996.

Tread Design Guide, 1992, p. 48, Kleber C4T.

Tread Design Guide, 1991, p. 46, Michelin MXV 3.

Tread Design Guide, 1996, p. 12, Bridgestone Turanza H.

Tread Design Guide, 1997, p. 26, Duralon Vertex IV.

Tread Design Guide, 1997, p. 51, Michelin Energy MXV4.

Tread Design Guide, 1996, p. 49, Michelin MXV4.

Tread Design Guide, 1996, p. 65, Sears Michlin Weather-wise.

Primary Examiner—Robert M. Spear

Attorney, Agent, or Firm—Alan A. Csontos; Robert R. Reed

[57] CLAIM

The ornamental design for a tire tread, as shown and described.

DESCRIPTION


FIG. 1 is a perspective view of a tire tread showing our new tire tread design, it being understood that the tread pattern is repeated uniformly throughout the circumference of the tire tread with the opposite side being the same as for the side shown; and,


FIG. 2 is an enlarged fragmentary front elevation view of our new tire tread thereof.

The broken line showing of a tire sidewall and inner bead is for illustrative purposes only and forms no part of the claimed design.


In the drawings, the dark stippled surface shading represents the recessed portion of the tread grooves, having a depth as best shown along the right edge of the tread in FIG. 1.

1 Claim, 2 Drawing Sheets





*Fig. 1*



*Fig. 2*