



US00D405528S

United States Patent [19]

Shennib et al.

[11] **Patent Number: Des. 405,528**

[45] **Date of Patent: **Feb. 9, 1999**

[54] **COMBINED HEARING AID AND RECEIVER**

[75] Inventors: **Adnan Shennib**, Fremont; **Richard C. Urso**, Redwood City; **Jorgen Sorensen**, Tracy; **Henry Fletcher**, Cameron Park, all of Calif.

[73] Assignee: **Decibel Instruments, Inc.**, Hayward, Calif.

[**] Term: **14 Years**

[21] Appl. No.: **76,800**

[22] Filed: **Sep. 18, 1997**

[51] **LOC (6) Cl.** **24-99**

[52] **U.S. Cl.** **D24/174**

[58] **Field of Search** D24/174; 381/68.6, 381/69, 69.2; 181/130, 137

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 213,109 1/1969 Young D24/174

D. 360,948 8/1995 Mostardo D24/174
D. 360,949 8/1995 Mostardo D24/174
3,812,300 5/1974 Brander et al. 381/69
4,729,451 3/1988 Brander 181/130

Primary Examiner—Stella Reid
Attorney, Agent, or Firm—Michael A. Glenn


[57] **CLAIM**

The ornamental design for a combined hearing aid and receiver, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a combined hearing aid and receiver, showing our new design;
FIG. 2 is a right side elevational view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a perspective view thereof, looking directly at the receiver housing;
FIG. 5 is a left side elevational view thereof;
FIG. 6 is a bottom plan view thereof; and,
FIG. 7 is a perspective view thereof, with the receiver pointing away.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 4




FIG. 2




FIG. 3




FIG. 5




FIG. 6




FIG. 7