



US00D405534S

United States Patent [19] Hall

[11] **Patent Number:** **Des. 405,534**

[45] **Date of Patent:** ****Feb. 9, 1999**

[54] **HEAT/COLD PACK HOLDER**

[76] Inventor: **Anthony Keith Hall**, 845 Windriver Dr., Sykesville, Md. 21784

[**] Term: **14 Years**

[21] Appl. No.: **75,567**

[22] Filed: **Aug. 21, 1997**

[51] **LOC (6) Cl.** **24-04**

[52] **U.S. Cl.** **D24/206; D24/207; D24/190**

[58] **Field of Search** **D24/190, 200, D24/206-207; D29/100; 607/96, 108, 112; 2/44; 602/5, 19, 61**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 369,866	5/1996	Baughn	D24/206
D. 393,719	4/1998	Nichols	D24/207
4,833,730	5/1989	Nelson	2/44
4,836,194	6/1989	Sebastain et al.	602/19
5,534,021	7/1996	Dvoretzky	607/112

Primary Examiner—Louis S. Zarfes

Assistant Examiner—G. Andoll

[57] **CLAIM**

The ornamental design for a heat/cold pack holder, as shown.

DESCRIPTION

FIG. 1 is an exploded front elevational view of the heat/cold pack holder of the present invention;
 FIG. 2 is an exploded back elevational view of the heat/cold pack holder of FIG. 1;
 FIG. 3 is an exploded left side elevational view of the heat/cold pack holder of FIG. 1;
 FIG. 4 is an exploded right side elevational view of the heat/cold pack holder of FIG. 1;
 FIG. 5 is an exploded top plan view of the heat/cold pack holder of FIG. 1; and,
 FIG. 6 is an exploded bottom plan view of the heat/cold pack holder of FIG. 1; and,
 FIG. 7 is an assembled front, top, right side perspective view of the heat/cold pack holder of FIG. 1.

1 Claim, 4 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5





FIG. 6






FIG. 7