



US00D405581S

United States Patent [19]

Henshaw et al.

[11] **Patent Number: Des. 405,581**

[45] **Date of Patent: **Feb. 9, 1999**

[54] **CONTROL HANDLE FOR A MATERIALS HANDLING VEHICLE**

D. 336,713 6/1993 Avitan et al. D34/35
D. 362,330 9/1995 Avitan D34/35

[75] Inventors: **Robert J. Henshaw; Michael W. Henderson**, both of New Bremen; **Donald E. Luebrecht**, Ft. Jennings; **Michael P. Gallagher**, Greenville; **Edward E. Ahigian**, St. Marys; **Brent A. Bergman**, Yorkshire, all of Ohio

Primary Examiner—Alan P. Douglas
Assistant Examiner—Robin V. Taylor
Attorney, Agent, or Firm—Killworth, Gottman, Hagan & Schaeff, L.L.P.

[73] Assignee: **Crown Equipment Corporation**, New Bremen, Ohio

[57] **CLAIM**
The ornamental design for a control handle for a materials handling vehicle, as shown and described.

[**] Term: **14 Years**

DESCRIPTION

[21] Appl. No.: **60,045**

FIG. 1 is a perspective view showing the control handle of our new design mounted generally horizontally an operator's compartment of a materials handling vehicle;
FIG. 2 is a front view of our new design, as viewed by an operator;
FIG. 3 is a top view of our new design;
FIG. 4 is a back view of the control handle of our design;
FIG. 5 is a right side view of the control handle of our new design; and,
FIG. 6 is a bottom view of the control handle of our new design.
The broken line showing is for illustrative purposes only and forms no part of the claimed design.

[22] Filed: **Sep. 20, 1996**

[51] **LOC (6) Cl.** **12-05**

[52] **U.S. Cl.** **D34/35**


[58] **Field of Search** D34/28, 34, 35;
D12/174, 179; 280/43.12; 74/321, 322;
244/234

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 335,741 5/1993 McCormick et al. D34/35

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO : Des. 405,581

DATED : February 9, 1999

INVENTOR(S) : Robert J. Henshaw et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the title page, under item [57] description,

line 2 In Fig. 1, patent reads "horizontally an operator's"
 and should read - - horizontally in an operator's - - .

Signed and Sealed this

Twenty-second Day of June, 1999

Attest:



Q. TODD DICKINSON

Attesting Officer

Acting Commissioner of Patents and Trademarks