



US00D405725S

United States Patent [19]
Anscher

[11] **Patent Number: Des. 405,725**

[45] **Date of Patent: **Feb. 16, 1999**

[54] **FEMALE BUCKLE PORTION**

4,800,629 1/1989 Ikeda 24/170

[75] Inventor: **Joseph Anscher**, Muttontown, N.Y.

Primary Examiner—Ralf Seifert
Attorney, Agent, or Firm—Collard & Roe, P.C.

[73] Assignee: **National Molding Corporation**,
Farmingdale, N.Y.

[57] **CLAIM**

[**] Term: **14 Years**

The ornamental design for a female buckle portion, as shown and described.

[21] Appl. No.: **90,652**

DESCRIPTION

[22] Filed: **Jul. 14, 1998**

[51] **LOC (6) Cl.** **02-07**

[52] **U.S. Cl.** **D11/216**

[58] **Field of Search** D11/200, 215,
D11/216, 217, 218; 24/193, 196, 197, 200,
523, 625, 633, 634, 664, 613, 615-616,
618, 170; D8/383


FIG. 1 shows a perspective view of my new design for a female buckle portion as inserted into a male buckle portion; FIG. 2 shows a top view thereof; FIG. 3 shows a bottom view thereof; FIG. 4 shows a perspective view of the female buckle portion; FIG. 5 shows a top view thereof; FIG. 6 shows a bottom view thereof; FIG. 7 shows a side view of the female buckle portion with a male buckle portion inserted therein, with both sides being identical; FIG. 8 shows a front end view thereof; and, FIG. 9 shows a rear end view thereof. The portions shown in dotted lines are for environmental purposes only and do not form a part of the invention.

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 320,178	9/1991	Kasai	D11/200
D. 348,236	6/1994	James	D11/200
D. 349,262	8/1994	Krauss	D11/216
D. 349,871	8/1994	Murai	D11/216
D. 352,680	11/1994	Matoba	D11/216

1 Claim, 6 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 7




Fig. 5




Fig. 6




Fig. 8




Fig. 9