

US00D405730S

United States Patent [19]
Maxwell

[11] Patent Number: Des. 405,730
[45] Date of Patent: **Feb. 16, 1999

[54] TIRE TREAD

[75] Inventor: Paul Bryan Maxwell, Munroe Falls, Ohio
[73] Assignee: The Goodyear Tire & Rubber Company, Akron, Ohio
[**] Term: 14 Years
[21] Appl. No.: 83,095
[22] Filed: Dec. 11, 1997
[51] LOC (6) Cl. 12-15
[52] U.S. Cl. D12/145; D12/147
[58] Field of Search D12/136, 138, D12/140-152; 152/209 R, 209 A, 209 D

[56] References Cited

U.S. PATENT DOCUMENTS				
D. 57,872	5/1921	Switzer		D12/138
D. 85,055	9/1931	Reichard		D12/146
D. 158,031	4/1950	Wilcox		D12/138
D. 320,772	10/1991	Hasegawa		D12/147
D. 322,237	12/1991	Nakatani		D12/147
D. 379,446	5/1997	Hutson et al.		D12/147
D. 385,519	10/1997	De Briey-Terlinden et al.		D12/147
4,667,717	5/1987	Graas		152/209 A
4,702,292	10/1987	Brayer		152/209 R
4,984,616	1/1991	Shepler et al.		152/209 R
5,002,109	3/1991	Shepler et al.		152/209 R
5,358,022	10/1994	Glover et al.		152/209 R

FOREIGN PATENT DOCUMENTS

93-028645/04 7/1991 European Pat. Off. 152/209 R
93-0558 9/1993 Sweden .

OTHER PUBLICATIONS

Parkway Euro-Tech Metric A/S Tire, Feb. 1996 Tread Design Guide, p. 57.

Primary Examiner—Robert M. Spear
Attorney, Agent, or Firm—T P Lewandowski


[57] CLAIM

The ornamental design for a tire tread, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire tread showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a right side elevational view thereof;
FIG. 4 is a left side elevational view thereof; and,
FIG. 5 is an enlarged fragmentary front perspective view thereof.
In the drawings, the broken lines defining the inner bead of the sidewall and the peripheral boundary between the tire tread and the sidewall are for illustrative purposes only and form no part of the claimed design.

1 Claim, 5 Drawing Sheets






FIG-1




FIG-2




FIG-3




FIG-4




FIG-5