



US00D405741S

United States Patent [19]

Weber et al.

[11] Patent Number: **Des. 405,741**

[45] Date of Patent: ****Feb. 16, 1999**

[54] **TIRE TREAD**

[75] Inventors: **Michael Joseph Weber**, Mogadore;
Darrell Edwin Covert, North Canton;
Samuel Patrick Landers, Uniontown,
all of Ohio

[73] Assignee: **The Goodyear Tire & Rubber
Company**, Akron, Ohio

[**] Term: **14 Years**

[21] Appl. No.: **85,748**

[22] Filed: **Mar. 30, 1998**

[51] **LOC (6) Cl.** **12-15**

[52] **U.S. Cl.** **D12/147**

[58] **Field of Search** D12/136-138,
D12/140, 142-151; 152/209 R, 209 A,
209 D

[56] **References Cited**

U.S. PATENT DOCUMENTS

| | | | |
|------------|---------|-----------------------|---------|
| D. 265,306 | 7/1982 | Kojima et al. | 12/147 |
| D. 277,272 | 1/1985 | Sladky et al. | 12/146 |
| D. 301,024 | 5/1989 | Himuro et al. | 12/147 |
| D. 304,166 | 10/1989 | Graas | 12/143 |
| D. 304,561 | 11/1989 | Caretta | 12/147 |
| D. 314,363 | 2/1991 | Adam | 12/147 |
| D. 316,239 | 4/1991 | Tsuda et al. | 12/145 |
| D. 338,178 | 8/1993 | Yamashita | 12/141 |
| D. 350,095 | 8/1994 | Anderson et al. | D12/147 |
| D. 367,445 | 2/1996 | Attinello et al. | 12/141 |
| D. 377,330 | 1/1997 | Kakegawa et al. | 12/147 |
| D. 382,236 | 8/1997 | Kakegawa et al. | 12/147 |
| D. 384,606 | 10/1997 | McKisson | D12/146 |

| | | | |
|------------|---------|----------------------|-----------|
| D. 390,517 | 2/1998 | Guspodin et al. | D12/147 |
| 4,416,317 | 11/1983 | Caretta | 152/209 |
| 5,529,101 | 6/1996 | Croyle et al. | 152/209 R |

OTHER PUBLICATIONS

Seiberling Falcon Sport Radial Tire, 1995 Tread Design Guide, p. 62, Jan. 1995.

Ultra-Tech Radial GT Tire, 1995 Tread Design Guide, p. 71, Jan. 1995.

Goodyear Workhorse Radial Tire, 1995 Tread Design Guide, p. 95, Jan. 1995.

Co-op Pacemark Sr Tire, 1996 Tread Design Guide, p. 17, Feb. 1996.

Pos-A-Traction Miramas SPR Tire, 1996 Tread Design Guide, p. 59, Feb. 1996.

Primary Examiner—Robert M. Spear

Attorney, Agent, or Firm—T P Lewandowski

[57] **CLAIM**

The ornamental design for a tire tread, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire tread showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;


FIG. 2 is a front elevational view thereof;

FIG. 3 is a side elevational view thereof, the opposite side elevational view being identical thereto; and,

FIG. 4 is an enlarged fragmentary front perspective view thereof.

In the drawings, the broken lines defining the inner bead of the sidewall and the peripheral boundary between the tire tread and the sidewall are for illustrative purposes only and form no part of the claimed design.

1 Claim, 4 Drawing Sheets






FIG-1




FIG-2




FIG-3




FIG-4