



US00D405777S

# United States Patent [19]

[11] **Patent Number: Des. 405,777**

**Jasinski et al.**

[45] **Date of Patent: \*\*Feb. 16, 1999**

## [54] **COMPUTER KEYBOARD**

[75] Inventors: **Joseph Edward Jasinski**, Raleigh;  
**Ronald Alan Smith**, Wake Forest;  
**John David Swansey**, Durham, all of  
N.C.

[73] Assignee: **International Business Machines Corp.**, Armonk, N.Y.

[\*\*] Term: **14 Years**

[21] Appl. No.: **82,760**

[22] Filed: **Jan. 7, 1998**

[51] **LOC (6) Cl.** ..... **14-02**

[52] **U.S. Cl.** ..... **D14/115**

[58] **Field of Search** ..... D14/100, 101,  
D14/106, 115; D18/1, 2, 7; 178/17 A, 17 C;  
200/5 A, 5 R, 6 A, 6 R; 235/145 A, 145 R;  
345/167, 168, 160; 341/22, 23; 364/708.1;  
400/472, 479, 484-486, 488, 489

## [56] **References Cited**

### U.S. PATENT DOCUMENTS

- D. 375,492 11/1996 Chung ..... D14/115
- D. 376,356 12/1996 Chung ..... D14/115
- D. 386,171 11/1997 Tague ..... D14/115

*Primary Examiner*—Freda Nunn  
*Attorney, Agent, or Firm*—George E. Grosser

## [57] **CLAIM**

The ornamental design for a computer keyboard, as shown and described.

## **DESCRIPTION**

FIG. 1 is a perspective view of the computer keyboard of the present invention;

FIG. 2 is a front-side view of the computer keyboard of the present invention;

FIG. 3 is a rear-side view of the computer keyboard of the present invention;

FIG. 4 is a right-side view of the computer keyboard of the present invention;

FIG. 5 is a left-side view of the computer keyboard of the present invention;

FIG. 6 is a top view of the computer keyboard of the present invention;

FIG. 7 is a bottom view of the computer keyboard of the present invention;

FIG. 8 is a perspective view of a second embodiment of the computer keyboard of the present invention;

FIG. 9 is a front-side view of a second embodiment of the computer keyboard of the present invention;

FIG. 10 is a rear-side view of a second embodiment of the computer keyboard of the present invention;

FIG. 11 is a right-side view of a second embodiment of the computer keyboard of the present invention;

FIG. 12 is a left-side view of a second embodiment of the computer keyboard of the present invention;

FIG. 13 is a top view of a second embodiment of the computer keyboard of the present invention; and,

FIG. 14 is a bottom view of a second embodiment of the computer keyboard of the present invention.

**1 Claim, 10 Drawing Sheets**





FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10






FIG. 11




FIG. 12




FIG. 13




FIG. 14

