



US00D405866S

United States Patent [19]
Laney

[11] **Patent Number: Des. 405,866**
[45] **Date of Patent: **Feb. 16, 1999**

[54] **DIVING FISHING WEIGHT**

[76] Inventor: **Scot H. Laney**, 2625 NW. Industrial Way, Portland, Oreg. 97210

[**] Term: **14 Years**

[21] Appl. No.: **66,495**

[22] Filed: **Feb. 18, 1997**

[51] **LOC (6) Cl. 22-05**

[52] **U.S. Cl. D22/145; D22/126**

[58] **Field of Search D22/126, 128, D22/129, 133, 132, 145, 146; 43/43.13, 44.9, 42.36, 44.88, 43.1, 44.97, 42.39, 42.11, 42.37, 42.48, 42.47, 44.87, 44.81**

[56] **References Cited**

U.S. PATENT DOCUMENTS

| | | | |
|------------|---------|----------------------|----------|
| D. 153,798 | 5/1949 | Hinkson . | |
| D. 217,644 | 5/1970 | Smith | 43/43.13 |
| D. 243,954 | 4/1977 | Raquel | D22/145 |
| D. 327,939 | 7/1992 | Stecher . | |
| D. 375,539 | 11/1996 | Chu . | |
| D. 388,496 | 12/1997 | Reiger . | |
| 1,644,151 | 10/1927 | Rodgers . | |
| 1,801,940 | 4/1931 | Stanley . | |
| 1,963,380 | 6/1934 | Peters et al. . | |
| 2,184,792 | 12/1939 | Clarke | 43/42.36 |
| 2,241,767 | 5/1941 | Cullerton . | |
| 2,283,779 | 5/1942 | Winter | 43/43.13 |
| 2,295,765 | 9/1942 | Weber . | |
| 2,516,039 | 7/1950 | Wysack | 43/42.36 |
| 2,567,180 | 9/1951 | Bunkowski | 43/42.28 |
| 2,605,577 | 8/1952 | Waugler | 43/43.13 |
| 2,788,605 | 4/1957 | Rediess et al. | 43/43.1 |
| 2,986,838 | 6/1961 | Smyser | 43/42.36 |
| 3,570,167 | 3/1971 | Smith | 43/43.13 |
| 4,138,792 | 2/1979 | Hill | 43/42.24 |
| 4,141,171 | 2/1979 | Muddiman | 43/42.47 |
| 4,164,826 | 8/1979 | Metzler et al. | 43/42.05 |
| 4,177,597 | 12/1979 | Thomassin | 43/42.3 |
| 4,253,263 | 3/1981 | Franklin et al. | 43/42.24 |
| 4,750,291 | 6/1988 | Chilton | 43/44.82 |
| 4,783,928 | 11/1988 | Weaver | 43/42.24 |
| 4,793,089 | 12/1988 | Long et al. | 43/42.13 |
| 4,796,378 | 1/1989 | Krueger et al. | 43/43.2 |
| 4,827,660 | 5/1989 | Dudeck | 43/42.39 |

| | | | |
|-----------|---------|------------------|----------|
| 4,837,966 | 6/1989 | Bethel | 43/43.1 |
| 4,845,883 | 7/1989 | Langer . | |
| 4,862,629 | 9/1989 | Ryan . | |
| 4,891,901 | 1/1990 | Baker, Jr. . | |
| 4,916,854 | 4/1990 | Martin . | |
| 4,932,153 | 6/1990 | Paluzzi . | |
| 4,947,574 | 8/1990 | Tapley . | |
| 4,962,610 | 10/1990 | Bleam et al. . | |
| 4,998,373 | 3/1991 | Braswell . | |
| 5,007,195 | 4/1991 | Patterson . | |
| 5,018,297 | 5/1991 | Kennedy, Jr. . | |
| 5,090,151 | 2/1992 | Salminen . | |
| 5,094,026 | 3/1992 | Correll et al. . | |
| 5,117,573 | 6/1992 | Semler . | |
| 5,117,574 | 6/1992 | Perry . | |
| 5,133,146 | 7/1992 | Stecher . | |
| 5,136,801 | 8/1992 | Pond . | |
| 5,182,876 | 2/1993 | Lewis . | |
| 5,185,951 | 2/1993 | Hemmerle | 43/43.13 |
| 5,199,209 | 4/1993 | Cook . | |
| 5,216,830 | 6/1993 | Brott, II . | |
| 5,251,395 | 10/1993 | Wicklund . | |
| 5,271,177 | 12/1993 | Cook . | |
| 5,305,543 | 4/1994 | Fore | 43/43.13 |
| 5,353,540 | 10/1994 | Ward . | |
| 5,428,917 | 7/1995 | Cunningham . | |
| 5,465,523 | 11/1995 | Garst . | |
| 5,490,347 | 2/1996 | Conley . | |
| 5,497,581 | 3/1996 | Williams . | |
| 5,605,004 | 2/1997 | Boullt et al. . | |
| 5,625,975 | 5/1997 | Imes . | |

Primary Examiner—Doris V. Coles
Attorney, Agent, or Firm—Kolisch, Hartwell, Dickinson, McCormack & Heuser

[57] **CLAIM**

The ornamental design for a diving fishing weight, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a diving fishing weight, showing my new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a top plan view thereof;
FIG. 5 is a bottom plan view thereof;
FIG. 6 is a left side elevational view thereof;
FIG. 7 is a right side elevational view thereof;




FIG. 8 is a perspective view of the second embodiment;
FIG. 9 is a front elevational view thereof;
FIG. 10 is a rear elevational view thereof;
FIG. 11 is a top plan view thereof;
FIG. 12 is a bottom plan view thereof;
FIG. 13 is a left side elevational view thereof;
FIG. 14 is a right side elevational view thereof;
FIG. 15 is a perspective view of a third embodiment;
FIG. 16 is a front elevational view thereof;
FIG. 17 is a rear elevational view thereof;
FIG. 18 is a top plan view thereof;
FIG. 19 is a bottom plan view thereof;
FIG. 20 is a left side elevational view thereof;

FIG. 21 is a right side elevational view thereof;
FIG. 22 is a perspective view of a fourth embodiment;
FIG. 23 is a front elevational view thereof;
FIG. 24 is a rear elevational view thereof;
FIG. 25 is a top plan view thereof;
FIG. 26 is a bottom plan view thereof;
FIG. 27 is a left side elevational view thereof; and,
FIG. 28 is a right side elevational view thereof.
The broken line showing of environment in FIGS. 1, 8, 15
and 22 is for illustrative purposes only and forms no part of
claimed design.

1 Claim, 8 Drawing Sheets

Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15




Fig. 16




Fig. 17




Fig. 18




Fig. 19




Fig. 20




Fig. 21




Fig. 22




Fig. 23




Fig. 24




Fig. 25




Fig. 26




Fig. 27




Fig. 28

