



US00D405900S

**United States Patent** [19]  
**Driscoll**

[11] **Patent Number: Des. 405,900**

[45] **Date of Patent: \*\*Feb. 16, 1999**

[54] **COMBINED DOG SAFETY FLASHING LIGHT AND REFLECTOR**

[76] Inventor: **Lesa Driscoll**, 3311 Zinran Ave. South, St. Louis Park, Minn. 55426

[\*\*] Term: **14 Years**

[21] Appl. No.: **69,399**

[22] Filed: **Apr. 11, 1997**

[51] **LOC (6) Cl.** ..... **26-02**

[52] **U.S. Cl.** ..... **D26/39**

[58] **Field of Search** ..... D26/37-50; D30/155; 362/157, 158, 183, 184, 187-191, 196-200, 103, 107, 108; D10/111, 109

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

- D. 333,041 2/1993 Choi et al. .
- D. 335,195 4/1993 Choi et al. .
- D. 336,530 6/1993 Choi et al. .
- D. 362,079 9/1995 Brown ..... D26/39

- D. 362,736 9/1995 Zeather ..... D26/39
- 1,623,002 3/1927 Gossett ..... D26/39
- 5,436,810 7/1995 Sutherland et al. .
- 5,474,033 12/1995 Mitchell, Jr. .... D30/155

*Primary Examiner*—Marcus A. Jackson  
*Attorney, Agent, or Firm*—Palmatier, Sjoquist, Voigt & Christensen, P.A.


[57] **CLAIM**


The ornamental design for a combined dog safety flashing light and reflector, as shown and described.

**DESCRIPTION**


FIG. 1 is a perspective view of a combined dog safety flashing light and reflector showing my new design; FIG. 2 is a front elevational view; FIG. 3 is a rear elevational view; FIG. 4 is a top plan view which is a mirror image of the bottom plan view; and, FIG. 5 is a left side elevational view which is a mirror image of the right side elevational view.

**1 Claim, 2 Drawing Sheets**







*Fig. 1.*




*Fig. 2.*



*Fig. 3.*



*Fig. 4.*



*Fig. 5.*