

### US00D405918S

# United States Patent [19]

# Motobayashi

[11] Patent Number: Des. 405,918 [45] Date of Patent: \*\*Feb. 16, 1999

[54]	LIGHTE	3			
[75]	Inventor:	Shozo Motobayashi, Hyogo, Japan			
[73]	Assignee:	Motobayashi Co., Ltd., Osaka, Japan			
[**]	Term:	14 Years			
[21]	Appl. No.:	78,035			
[22]	Filed:	Oct. 16, 1997			
[30]	Forei	gn Application Priority Data			
Apr. 21, 1997 [JP] Japan 9-52087					
[51]	LOC (6)	Cl			
[52]	<b>U.S. Cl.</b>	D27/157			
[58]	Field of S	earch			
		D27/141, 142, 143, 144, 145, 146, 147,			
		148, 149, 150, 151, 152, 153, 154, 155,			

### [56] References Cited

#### U.S. PATENT DOCUMENTS

156, 157, 158, 159, 160, 161; 431/273,

276, 277, 253, 254, 256, 127, 128, 142,

143, 146

D. 330,441	10/1992	Cury	D27/157
D. 361,863	8/1995	Motobayashi	D27/154
D. 371,218	6/1996	Chung	D27/141
D. 376,869	12/1996	Makoto	D27/157
D. 376,870	12/1996	Ichikawa	D27/157
2,680,962	6/1954	Lipic et al	431/277

Primary Examiner—Susan J. Lucas
Assistant Examiner—Jennifer Rivard

Attorney, Agent, or Firm—Michael J. Brown; Irving M. Fishman

### [57] CLAIM

The ornamental design for a lighter, as shown and described.

## DESCRIPTION

FIG. 1 is a left side view of a first embodiment of the lighter;

FIG. 2 is a front view of the first embodiment. The rear view being a mirror image thereof;

FIG. 3 is a right side view of the first embodiment;

FIG. 4 is a top view of the first embodiment;

FIG. 5 is a bottom view of the first embodiment;

FIG. 6 is a front view of the first embodiment with the cover lifted;

FIG. 7 is a left side view of a second embodiment of the lighter;

FIG. 8 is a front view of the second embodiment. The rear view being a mirror image thereof;

FIG. 9 is a right side view of the second embodiment;

FIG. 10 is a top view of the second embodiment;

FIG. 11 is a front view of a third embodiment. The rear view being a mirror image thereof; and,

FIG. 12 is a front view of a fourth embodiment. The rear view being a mirror image thereof.

The bottom view of the second, third, and fourth embodiments is shown in FIG. 5.

The right side view and the top view of the third embodiment are disclosed by FIGS. 3 and 4 of the first embodiment. The left side view of the third embodiment differs from FIG. 1 of the first embodiment only by the fuel chamber being transparent.

The right side view and the top view of the fourth embodiment are disclosed by FIGS. 9 and 10 of the second embodiment. The left side view of the fourth embodiment differs from FIG. 7 of the second embodiment only by the fuel chamber being transparent.

The broken lines are shown for illustrative purposes only and form no part of the claimed design.

# 1 Claim, 4 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9





FIG. 10



Feb. 16, 1999

