



US00D406048S

United States Patent [19]
Graham

[11] **Patent Number: Des. 406,048**

[45] **Date of Patent: **Feb. 23, 1999**

[54] **COMBINED BELAY AND RAPPEL DEVICE**

*Attorney, Agent, or Firm—*Kelly Bauersfield Lowry & Kelley, LLP.

[76] Inventor: **Dean S. Graham**, 17551 Lemay Pl.,
Van Nuys, Calif. 91406-5326

[57] **CLAIM**

[**] Term: **14 Years**

The ornamental design for a combined belay and rappel device, as shown.

[21] Appl. No.: **79,452**

DESCRIPTION

[22] Filed: **Nov. 17, 1997**

[51] **LOC (6) Cl.** **08-05**

FIG. 1 is a perspective view showing the top, front and left sides of a combined belay and rappel device embodying my new design;

[52] **U.S. Cl.** **D8/356**

FIG. 2 is a left side elevational view thereof;

[58] **Field of Search** D8/356; 24/129 R,
24/130, 115 R

FIG. 3 is a right side elevational view thereof;

FIG. 4 is a rear elevational view thereof;

[56] **References Cited**

FIG. 5 is a front elevational view thereof;

U.S. PATENT DOCUMENTS

FIG. 6 is a top plan view thereof; and,

D. 297,811 9/1988 Payan D8/356

FIG. 7 is a bottom plan view thereof.

*Primary Examiner—*Holly Baynham

1 Claim, 3 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3





FIG. 4






FIG. 5

FIG. 6




FIG. 7

