



US00D406052S

United States Patent [19]

[11] **Patent Number: Des. 406,052**

Dumont et al.

[45] **Date of Patent: **Feb. 23, 1999**

[54] **BOTTLE WITH TRIGGER PUMP**

[75] Inventors: **Christopher Dumont; Stephen Frederick Kelsey**, both of London, England

[73] Assignee: **Reckitt & Colman Products Limited**, London, United Kingdom

[**] Term: **14 Years**

[21] Appl. No.: **72,026**

[22] Filed: **Jun. 4, 1997**

[30] **Foreign Application Priority Data**

Dec. 20, 1996 [GB] United Kingdom 2061995

[51] **LOC (6) Cl.** **09-05**

[52] **U.S. Cl.** **D9/300**

[58] **Field of Search** D9/300, 447, 448, D9/449, 523, 530, 543; 222/153, 153.11, 153.12, 153.13, 153.14, 207, 383.1, 383.3; 239/333

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 275,078	8/1984	Wassergord et al.	D9/300
D. 277,978	3/1985	Bundschuh	D9/448 X
D. 329,802	9/1992	Foster et al.	D9/300
D. 342,451	12/1993	Warner et al.	D9/543
D. 353,321	12/1994	Steijns et al.	D9/300
D. 372,428	8/1996	Malmquist	D9/523
D. 380,681	7/1997	De Souza et al.	D9/523
3,474,938	10/1969	Clevenger	239/333 X
5,222,632	6/1993	Tada	222/153
5,335,858	8/1994	Dunning et al.	239/333
5,564,604	10/1996	Tada	222/153.14
5,730,335	3/1998	Maas et al.	222/383.3 X

Primary Examiner—James Gandy
Assistant Examiner—Cathron B. Matta
Attorney, Agent, or Firm—Fish & Richardson P.C.

[57] **CLAIM**

The ornamental design for a bottle with trigger pump, as shown and described.

DESCRIPTION

FIG. 1 is a front and left side perspective view of a first

embodiment of our design for a bottle with trigger pump showing said pump adapted for spraying;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a bottom plan view thereof;

FIG. 5 is a right side elevational view thereof, the left side being a mirror image; and

FIG. 6 is a rear elevational view thereof;

FIG. 7 is a front and left side perspective view of a second embodiment of our design for a bottle with trigger pump showing said pump adapted for spraying;

FIG. 8 is a front elevational view thereof;

FIG. 9 is a top plan view thereof;

FIG. 10 is a bottom plan view thereof;

FIG. 11 is a left side elevational view thereof, the right side being a mirror image; and

FIG. 12 is a rear elevational view thereof;

FIG. 13 is a front and left side perspective view of a third embodiment of our design for a bottle with trigger pump showing said pump adapted for foaming;

FIG. 14 is a front elevational view thereof;

FIG. 15 is a top plan view thereof;

FIG. 16 is a bottom plan view thereof;

FIG. 17 is a right side elevational view thereof, the left side being a mirror image; and

FIG. 18 is a rear elevational view thereof;

FIG. 19 is a front and left side perspective view of a fourth embodiment of our design for a bottle with trigger pump showing said pump adapted for foaming;

FIG. 20 is a front elevational view thereof;

FIG. 21 is a top plan view thereof;

FIG. 22 is a bottom plan view thereof;

FIG. 23 is a left side view thereof, the right side being a mirror image; and,

FIG. 24 is a rear elevational view thereof.

1 Claim, 8 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24

