



US00D406145S

# United States Patent [19] Radakovic

[11] **Patent Number: Des. 406,145**

[45] **Date of Patent: \*\*Feb. 23, 1999**

[54] **CASING FOR AN APPARATUS FOR TRANSMITTING DATA OVER A TELEPHONE LINE**

D. 384,672 10/1997 Heberling ..... D14/242  
D. 393,463 4/1998 Beaumont ..... D14/149  
5,457,600 10/1995 Campbell et al. .... 361/736 X

[75] Inventor: **Robert Radakovic**, Kottlingbrunn, Austria

*Primary Examiner*—Jeffrey Asch  
*Attorney, Agent, or Firm*—Henry M. Feiereisen

[73] Assignee: **Ericsson Austria Aktiengesellschaft**, Vienna, Austria

[57] **CLAIM**

[\*\*] Term: **14 Years**

The ornamental design for a casing for an apparatus for transmitting data over a telephone line, as shown and described.

[21] Appl. No.: **72,546**

**DESCRIPTION**

[22] Filed: **Jun. 18, 1997**

[30] **Foreign Application Priority Data**

Dec. 20, 1996 [AT] Austria ..... MU 4804/96

[51] **LOC (6) Cl.** ..... **14-03**

[52] **U.S. Cl.** ..... **D14/242; D14/107**

[58] **Field of Search** ..... D14/140, 142, D14/149, 150, 240, 242, 107, 114, 155, 159; 361/736, 724, 728, 730, 826, 828; 375/222, 223, 220; 379/399, 418, 419, 420, 428, 440, 93.01, 93.28; D13/184, 164; 455/90, 9

FIG. 1 is a top, front and side perspective view of one embodiment of a casing for an apparatus for transmitting data over a telephone line, showing my new design;

FIG. 2 is a top, front and side perspective view of a second embodiment thereof, the only difference over FIG. 1 being the attachment of an assymetrical digital subscriber line filter to the rear of the casing;

FIG. 3 is a top, rear and side perspective view with the attachment piece being exploded from the main housing for convenience of illustration, the top, rear and opposite side perspective being a mirror image thereof;

FIG. 4 is a rear and side perspective view of a third embodiment thereof, the only difference over FIG. 1 being the attachment of a cover for protection of jacks to the rear of the casing, the rear and opposite side perspective being a mirror image thereof;

FIG. 5 is a rear and side perspective view with the cover being shown swung open to expose the jacks; and,

FIG. 6 is a rear and side perspective view of the first embodiment, the rear and opposite side perspective being a mirror image thereof.

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 266,509 10/1982 Marshall ..... D14/159  
D. 299,451 1/1989 Ikeda ..... D14/107 X  
D. 359,287 6/1995 Herberling et al. .... D14/242  
D. 362,003 9/1995 Claudio ..... D14/240  
D. 362,240 9/1995 Heidorn et al. .... D14/107  
D. 363,722 10/1995 Aldridge et al. .... D14/242  
D. 378,577 3/1997 Peroni ..... D13/184 X

**1 Claim, 3 Drawing Sheets**



FIG. 1




FIG. 2




FIG. 3



FIG. 4



FIG. 5




FIG. 6

