



US00D406586S

United States Patent [19]

Nagele et al.

[11] **Patent Number: Des. 406,586**

[45] **Date of Patent: **Mar. 9, 1999**

[54] **HOUSING FOR A PORTABLE TELEPHONE**

D. 369,598 5/1996 Nagele et al. D14/138
5,436,954 7/1995 Nishiyama et al. 379/433 X

[75] Inventors: **Albert Leo Nagele**, Wilmette; **Leonid Soren**, Lincolnwood; **Brian Jon Hassemer**, Gurnee; **James Dennis Domoleczny, Sr.**, Round Lake Beach; **Stephen J. Gaynes**, Wonder Lake; **Gary M. Cristiano**, Hoffman Estates, all of Ill.

FOREIGN PATENT DOCUMENTS

2-274046 11/1990 Japan D14/147 X
6-152459 5/1994 Japan 455/90 X

Primary Examiner—Jeffrey Asch
Attorney, Agent, or Firm—Kevin D. Kaschke

[73] Assignee: **Motorola, Inc.**, Schaumburg, Ill.

[57] CLAIM

[**] Term: **14 Years**

The ornamental design for a housing for a portable telephone, as shown and described.

[21] Appl. No.: **85,294**

DESCRIPTION

[22] Filed: **Nov. 7, 1997**

Related U.S. Application Data

FIG. 1 is a top, front and left side perspective view of a housing for a portable telephone showing our new design in an open position;
FIG. 2 is a top, front and left side perspective view thereof showing our new design in a closed position;
FIG. 3 is a rear side elevation view thereof showing our new design in the closed position;
FIG. 4 is a rear side elevation view thereof showing our new design in the open position;
FIG. 5 is a right side elevation view thereof showing our new design in the closed position;
FIG. 6 is a right side elevation view thereof showing our new design in the open position;
FIG. 7 is a bottom side plan view thereof showing our new design in the closed position;
FIG. 8 is a bottom side plan view thereof showing our new design in the open position;
FIG. 9 is a front side elevation view thereof showing our new design in the closed position; and,
FIG. 10 is a front side elevation view thereof showing our new design in the open position.

[62] Division of Ser. No. 46,674, Oct. 20, 1995, abandoned.

[51] **LOC (6) Cl.** **14-03**

[52] **U.S. Cl.** **D14/138**


[58] **Field of Search** D14/137, 138,
D14/140, 142, 147-151, 240, 248, 116;
379/56-61, 419, 420, 428, 440, 433, 436,
454, 455; 455/29, 90, 550-575

[56] References Cited

U.S. PATENT DOCUMENTS

D. 254,435 3/1980 Ferron D14/147
D. 306,294 2/1990 Watanabe D14/138
D. 319,441 8/1991 Konno et al. D14/138 X
D. 345,158 3/1994 Namba et al. D14/138
D. 346,164 4/1994 Shirkawa et al. D14/138
D. 356,309 3/1995 Taylor D14/138
D. 359,734 6/1995 Nagele et al. D14/147 X
D. 363,281 10/1995 Buhrmann D14/248 X

1 Claim, 4 Drawing Sheets






FIG. 1

FIG. 2




FIG. 3




FIG. 4

FIG. 5





FIG. 6






FIG. 7




FIG. 8




FIG. 9




FIG. 10