



US00D406687S

United States Patent [19] Thorpe

[11] Patent Number: Des. 406,687

[45] Date of Patent: **Mar. 16, 1999

[54] CAP WITH SIZE ADJUSTMENT MECHANISM

DESCRIPTION

[76] Inventor: Gary F. Thorpe, 732 East Ave., Bay Head, N.J. 08742

[**] Term: 14 Years

[21] Appl. No.: 78,815

[22] Filed: Oct. 31, 1997

[51] LOC (6) Cl. 02-03

[52] U.S. Cl. D2/881; D2/884; D2/865

[58] Field of Search D2/865, 866, 867, D2/880, 885, 881, 889, 884, 600, 607; 2/171, 84, 181, 183, 195.1, 195.7, 209.13, 209.4, 195.2, 271; D8/382, 395, 396; 24/298, 300, 302, 304, 115 G, 115 A, 115 K

[56] References Cited

U.S. PATENT DOCUMENTS

D. 350,847	9/1994	Thomas	D2/882
D. 357,792	5/1995	Cromer	D2/867
D. 365,917	1/1996	Armstrong	D2/881
D. 380,887	7/1997	Durodola	D2/874
2,297,661	9/1942	Okun	D2/607 X
4,630,317	12/1986	Brown et al.	2/171 X
4,675,948	6/1987	Bengtsson	24/115 G
5,144,695	9/1992	Schweizor	2/271
5,603,121	2/1997	Borkovic et al.	2/195.2
5,611,118	3/1997	Bibbee	24/298
5,666,699	9/1997	Takahashi	24/115 G
5,671,505	9/1997	Anscher	24/115 G

Primary Examiner—Paula A. Mortimer
Attorney, Agent, or Firm—Dann, Dorfman, Herrell & Skillman, P.C.

[57] CLAIM

The ornamental design for a cap with size adjustment mechanism, as shown and described.

FIG. 1 is a perspective view of the adjustable cap with size adjustment mechanism showing my new design as viewed from above the rearward end of the right-hand side of the cap;

FIG. 2 is a perspective view thereof, as viewed from below the rearward end of the left-hand side of the cap;

FIG. 3 is a perspective view thereof, as viewed from below the forward end of the right-hand side of the cap;

FIG. 4 is a perspective view of the cap with size adjustment mechanism illustrated in FIG. 3, the brim is broken way for purposes of illustration;

FIG. 5 is a fragmentary perspective view of a back portion of the cap illustrated in FIG. 1, wherein an alternate size adjustment mechanism of the cap is shown;


FIG. 6 is a fragmentary perspective view of a back portion of the cap illustrated in FIG. 1, wherein a second alternate size adjustment mechanism of the cap is shown;

FIG. 7 is a fragmentary perspective view of the back portion of the cap illustrated in FIG. 5, as viewed from below the forward end of the right-hand side of the cap;

FIG. 8 is a fragmentary perspective view of the back portion of the cap illustrated in FIG. 6, as viewed from below the forward end of the right-hand side of the cap; and,

FIG. 9 is a perspective view of a third alternate design, similar to the design illustrated in FIG. 1-4, wherein the cap is illustrated without stitching and vent holes. In each embodiment of the cap the right-hand side of the cap in the above-referenced designs is substantially the same as the left-hand side of the cap. Additionally, the dashed lines in FIG. 1 through 8 represent conventional stitching.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2

FIG. 3





FIG. 4




FIG. 5




FIG. 6




FIG. 9




FIG. 7




FIG. 8