



US00D406738S

United States Patent [19] Brady

[11] Patent Number: **Des. 406,738**

[45] Date of Patent: ****Mar. 16, 1999**

[54] **CAN OPENER**

3,675,321 7/1972 Arel et al. 30/404
3,911,571 10/1975 Ponczek et al. 30/423

[75] Inventor: **Martin Brady**, Chesterfield, Va.

OTHER PUBLICATIONS

[73] Assignee: **Hamilton Beach/Proctor-Silex, Inc.**,
Glen Allen, Va.

Commonly owned design application, Serial No. 29/085,
605, filed Mar. 26, 1998.

[**] Term: **14 Years**

Primary Examiner—Caron D. Veynar
Attorney, Agent, or Firm—Roger S. Dybvig

[21] Appl. No.: **85,604**

[57] CLAIM

[22] Filed: **Mar. 26, 1998**

The ornamental design for can opener, as shown and
described.

[51] **LOC (6) Cl.** **07-99**

[52] **U.S. Cl.** **D8/36**

[58] **Field of Search** D8/33-43; 7/151-156;
30/400, 408, 410, 416, 417, 418, 420, 422,
426

DESCRIPTION

[56] References Cited


U.S. PATENT DOCUMENTS

D. 324,158	2/1992	Gildersleve	D8/36
D. 362,377	9/1995	Schweizer	D8/35
D. 387,643	12/1997	Llaude et al.	D8/36
D. 394,791	6/1998	Lallemand	D8/36
2,803,057	8/1957	Meador	30/401
3,178,813	4/1965	Congdon	30/404
3,550,271	12/1970	Meyer et al.	30/404

FIG. 1 is a perspective view as seen from the top, front and
left side of a can opener showing my new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a right side elevational view thereof;
FIG. 4 is a rear side elevational view thereof;
FIG. 5 is a top plan view thereof; and,
FIG. 6 is a bottom plan view thereof.

The broken lines in FIGS. 1, 3, 5, and 6 representing a power
cord are used for illustrative purposes only and form no part
of the claimed design.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6