

### US00D406912S

# United States Patent [19]

# Sacco et al.

# [54] EXTERIOR SURFACE CONFIGURATION OF A REAR VEHICLE LIGHT

[75] Inventors: Bruno Sacco; Harald Leschke, both of Sindelfingen, Germany; Olivier Boulay, Tokyo, Japan; Shuichi Yamashita, Yokohama, Japan; Anthony Lo, Tokyo, Japan; Wolfgang Müller, Sindelfingen, Germany; Anton Reichel, Ditzingen, Germany; Werner Heinz, Lehningen,

Germany

[73] Assignee: Daimler-Benz Aktiengesellschaft,

Stuttgart, Germany

[\*\*] Term: 14 Years

[21] Appl. No.: **84,791** 

[22] Filed: Mar. 9, 1998

[30] Foreign Application Priority Data

[56] References Cited

U.S. PATENT DOCUMENTS

	0000001007120	•	
[11]	Patent Number:	Des.	406,912

[45] Date of Patent: \*\*Mar. 16, 1999

D. 370,985	6/1996	Sacco et al	D26/28
D. 388,200	12/1997	Tomborde et al	D26/28
D. 396,310	7/1998	Sacco et al	D26/28

Primary Examiner—Marcus A. Jackson

Attorney, Agent, or Firm—Evenson, McKeown, Edwards &

Lenahan PLLC

#### [57] CLAIM

The ornamental design for an exterior surface configuration of a rear vehicle light, as shown and described.

#### **DESCRIPTION**


FIG. 1 is a front view of an exterior surface configuration of a rear vehicle light according to our novel design;


FIG. 2 is a top view of an exterior surface configuration of a rear vehicle light according to our novel design;

FIG. 3 is a right side view of an exterior surface configuration of a rear vehicle light according to our novel design; FIG. 4 is a perspective view from the front right of an exterior surface configuration of a rear vehicle light according to our novel design;


This design represents one embodiment of a design for exterior surface configuration of a rear vehicle light. The drawings and descriptions represent the right side embodiment. The design also contemplates a mirror symmetrical embodiment on the left side of the vehicle. The dash line included denotes environment and is not part of the claimed design.

## 1 Claim, 2 Drawing Sheets





Mar. 16, 1999






FIG. 3




FIG. 4