



US00D407399S

United States Patent [19]
Frye et al.

[11] Patent Number: Des. 407,399
[45] Date of Patent: **Mar. 30, 1999

[54] HANDSET
[75] Inventors: Dale Frye, Port Hueneme; Tom Arbisi, Newbury Park; Frank Nuovo, Los Angeles, all of Calif.
[73] Assignee: Nokia Mobile Phones Limited, Espoo, Finland
[**] Term: 14 Years

[21] Appl. No.: 84,262
[22] Filed: Feb. 27, 1998
[51] LOC (6) Cl. 14-03
[52] U.S. Cl. D14/138
[58] Field of Search D14/137, 138, D14/147-148, 247-248, 250, 24, 140-142; 379/433.434, 419, 420, 428, 440; 455/550-575, 90

[56] References Cited

U.S. PATENT DOCUMENTS			
D. 289,896	5/1987	Martensson et al.	D14/53
D. 299,719	2/1989	Martensson et al.	D14/138
D. 302,423	7/1989	Martensson et al.	D14/138
D. 320,984	10/1991	Tattari	D14/138
D. 325,576	4/1992	Pitkonen	D14/138
D. 325,577	4/1992	Karlin	D14/138
D. 327,059	6/1992	Chu et al.	D14/147 X
D. 334,926	4/1993	Hunt et al.	D14/138
D. 339,338	9/1993	Tattari et al.	D14/138
D. 341,138	11/1993	Cummings	D14/138
D. 345,734	4/1994	Seymour et al.	D14/138
D. 349,112	7/1994	Tattari	D14/138
D. 352,708	11/1994	Rossi	D14/138
D. 353,807	12/1994	White	D14/138
D. 353,809	12/1994	Nuovo et al.	D14/138
D. 354,284	1/1995	White	D14/138
D. 356,561	3/1995	Berry	D14/138
D. 356,562	3/1995	Nuovo	D14/138
D. 356,563	3/1995	Berry	D14/138
D. 359,283	6/1995	Rudkiewicz	D14/149
D. 361,328	8/1995	White	D14/138

D. 361,762	8/1995	Berry	D14/138
D. 364,620	11/1995	Prior et al.	D14/147
D. 374,006	9/1996	Tattari	D14/138
D. 374,007	9/1996	Tattari	D14/138
D. 384,950	10/1997	Park	D14/138
D. 385,554	10/1997	Nuovo	D14/138
D. 385,876	11/1997	Park	D14/138
D. 385,887	11/1997	Park	D14/250
D. 386,188	11/1997	Park	D14/250
D. 386,493	11/1997	Mahan	D14/138
D. 390,555	2/1998	Finke-Anlauff	D14/138

OTHER PUBLICATIONS

Herrington catalog, Bel-Tronics telephone on cover, win1994.

Primary Examiner—Jeffrey Asch
Attorney, Agent, or Firm—Perman & Green, LLP

[57] CLAIM

The ornamental design for a “handset”, as shown and described.

DESCRIPTION

FIG. 1 is a bottom plan view of a handset, showing our new design with its sliding lid in a closed position; FIG. 2 is a right side elevational view thereof; FIG. 3 is a front elevational view thereof; FIG. 4 is a left side elevational view thereof; FIG. 5 is a top plan view thereof; FIG. 6 is a rear elevational view thereof; FIG. 7 is a bottom, front and right side perspective view thereof; FIG. 8 is a bottom, rear and left side perspective view thereof; FIG. 9 is a front elevational view thereof, with the sliding lid in an opened position; FIG. 10 is a bottom, front and right side perspective view; and, FIG. 11 is a rear, bottom and left side perspective view thereof.

1 Claim, 5 Drawing Sheets




FIG. 1





FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11