



US00D407428S

United States Patent [19]

[11] Patent Number: Des. 407,428

Jannard et al.

[45] Date of Patent: **Mar. 30, 1999

[54] EYEGLASS FRONT

[75] Inventors: James H. Jannard, Eastsound, Wash.; Peter Yee, Irvine, Calif.; Lek H. Thixton, Eastsound, Wash.

[73] Assignee: Oakley, Inc., Foothill Ranch, Calif.

[**] Term: 14 Years

[21] Appl. No.: 82,627

[22] Filed: Jan. 20, 1998

[51] LOC (6) Cl. 16-06

[52] U.S. Cl. D16/319; D16/319

[58] Field of Search D16/101, 300-330; 351/41, 44, 51, 52, 158; 2/447, 448, 436, 437, 426

[56] References Cited

U.S. PATENT DOCUMENTS

D. 167,704	9/1952	McCardell .	
D. 187,299	2/1960	Behr .	
D. 196,000	8/1963	McNeill .	
D. 202,130	8/1965	Mitchell .	
D. 204,418	4/1966	Ramp .	
D. 205,093	6/1966	Gaboriault .	
D. 205,419	8/1966	Griss et al. .	
D. 206,353	11/1966	Bloch et al. .	
D. 366,892	2/1996	Arnette .	
D. 368,732	4/1996	Lei .	
D. 369,375	4/1996	Jannard et al.	D16/326
D. 378,375	3/1997	Tsai .	
D. 383,478	9/1997	Wilson	D16/326
D. 384,686	10/1997	Jannard et al.	D16/326
D. 385,291	10/1997	Jannard et al.	D16/326
3,156,756	11/1964	Seaver .	
3,552,840	1/1971	Braget .	
5,760,868	6/1998	Jannard et al.	351/41

FOREIGN PATENT DOCUMENTS

0 496 292 A1 7/1992 European Pat. Off. .

OTHER PUBLICATIONS

Frames, Adrienne Vittadini, No. 115, Winter 1997.
Frames, Sun&SportEyewear, Motor Harley-Davidson Cycles, Fall 1996.

Sunglass Hut International, Introducing Harley Davidson, Summer Fashion 1996.
Frames, Harley-Davidson Eyewear, No. 113, Summer 1996.
Sunglass Hut International, Spring Sport 1996.
Berthet-Bondet, 1995.
Accessories Magazine, No. 123, p. 11, Apr. 1991.
Lunettes De Soliel, 1989.
B. B. Sol, Lunettes de Soliel, 1986.
Serious, Perfect Eye Protect By Alpine, "Don't Crack Under Pressure".
B.B. Sol, Eyewear Magazine.
B.B. Sol, Eyewear Magazine.
B.B. Sol, Eyewear Magazine.
Sunglass Hut Internationa, REVO, Ad.
Eyewear Ad. No. 127.

Primary Examiner—Raphael Barkai
Attorney, Agent, or Firm—Knobbe, Martens, Olson & Bear, LLP


[57] CLAIM

The ornamental design for eyeglass front, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of the eyeglass front of the present invention;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a right-side elevational view thereof, the left-side elevational view being a mirror image thereof;
FIG. 5 is a top plan view thereof;
FIG. 6 is a bottom plan view thereof;
FIG. 7 is a front perspective view of an alternative embodiment of the eyeglass front of the present invention;
FIG. 8 is a front elevational view of the eyeglass front of FIG. 7;
FIG. 9 is a rear elevational view of the eyeglass front of FIG. 7;
FIG. 10 is a right-side elevational view of the eyeglass front of FIG. 7, the left-side elevational view being a mirror image thereof;
FIG. 11 is a top plan view of the eyeglass front of FIG. 7; and,
FIG. 12 is a bottom plan view of the eyeglass front of FIG. 7.

1 Claim, 8 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12