### **United States Patent** [19]

Lanza et al.

US00D407485S Des. 407,485 **Patent Number:** [11] **Date of Patent: \*\*Mar. 30, 1999** [45]

**ION-SELECTIVE ELECTRODE FLUID PACK** [54]

Inventors: Howard Lanza, Garfield; Henry Rahn, [75] Hawthorne, both of N.J.

Assignee: Bayer Corporation, Tarrytown, N.Y. [73]

14 Years [\*\*] Term:

Appl. No.: 85,195 [21]

Mar. 17, 1998 [22] Filed:

*Primary Examiner*—Lisa Lichtenstein Attorney, Agent, or Firm-Orrick, Herrington & Sutcliffe LLP

[57] CLAIM

The ornamental design for an ion-selective electrode fluid pack, as shown.

#### DESCRIPTION

FIG. 1 is a front and left side perspective view of an ion-selective electrode fluid pack according to the present invention;

LOC (6) Cl. ..... 24-01 [51] U.S. Cl. ..... D24/107; D10/81 [52] [58] D24/232; 204/416–419; D10/81

[56] **References Cited** 

#### **U.S. PATENT DOCUMENTS**

3/1987 Kaltenbach et al. 4,649,028

### OTHER PUBLICATIONS

Mar. 1993 AVL Scientific Corporation Operator's Manual for 9100 Series Analyzer, p. 18. Mar. 1996 AVL Scientific Corporation Operator's Manual for 9180 Electrolyte Analyzer, pp. 4, 8, and 20.

FIG. 2 is a front view of the ion-selective electrode fluid pack of FIG. 1;

FIG. 3 is a right side view of the ion-selective electrode fluid pack of FIG. 1;

FIG. 4 is a left side view of the ion-selective electrode fluid pack of FIG. 1;

FIG. 5 is a back view of the ion-selective electrode fluid pack of FIG. 1;

FIG. 6 is a top view of the ion-selective electrode fluid pack of FIG. 1; and,

FIG. 7 is a bottom view of the ion-selective electrode fluid pack of FIG. 1.

#### 1 Claim, 4 Drawing Sheets



### U.S. Patent Mar. 30, 1999 Sheet 1 of 4 Des. 407,485

## **FIG.** 1



## U.S. Patent Mar. 30, 1999 Sheet 2 of 4 Des. 407,485



|--|--|

### U.S. Patent Mar. 30, 1999 Sheet 3 of 4 Des. 407,485







## E C

## U.S. Patent Mar. 30, 1999 Sheet 4 of 4 Des. 407,485

# **FIG.** 6



