



US00D407706S

United States Patent [19]

Tajima et al.

[11] Patent Number: Des. 407,706

[45] Date of Patent: ***Apr. 6, 1999

[54] ELECTROACOUSTIC TRANSDUCER

[75] Inventors: **Kazushige Tajima; Takahiro Sone; Yoshio Imahori**, all of Shizuoka, Japan

[73] Assignee: **Star Micronics Co., Ltd.**, Shizuoka, Japan

[*] Notice: The portion of the term of this patent subsequent to Jan. 14, 2011, has been disclaimed.

[**] Term: **14 Years**

[21] Appl. No.: **59,222**

[22] Filed: **Sep. 5, 1996**

[30] Foreign Application Priority Data

Mar. 14, 1996 [JP] Japan 8-7008

[51] LOC (6) Cl. **14-01**

[52] U.S. Cl. **D14/222**

[58] Field of Search D10/75, 104, 106, D10/116-118, 121; D13/152, 156, 184, 199; D14/100, 107, 140, 222, 240; 324/156; 340/384.1, 384.3, 384.6, 384.7, 384.72, 388.1, 388.6, 390.1, 391.1, 392.1-392.5, 396.1, 407.1; 361/600, 679, 724, 829; 369/175; 381/388-199, 205

[56] References Cited

U.S. PATENT DOCUMENTS

D. 333,468	2/1993	Hansen	D14/222
D. 377,353	1/1997	Tajima et al.	D14/222
4,115,770	9/1978	Kanazawa	340/392.3
5,392,455	2/1995	Benoist et al.	381/188 X

FOREIGN PATENT DOCUMENTS

948056 2/1996 Japan .

Primary Examiner—Ted Shooman

Assistant Examiner—Nanda Bondade

Attorney, Agent, or Firm—Sughrue, Mion, Zinn, Macpeak & Seas, PLLC

[57] CLAIM

The ornamental design for an electroacoustic transducer, as shown.

DESCRIPTION

FIG. 1 is a perspective view of the top, front and right side of an electroacoustic transducer showing our new design; FIG. 2 is a front elevational view thereof; FIG. 3 is a top plan view thereof; FIG. 4 is a right side elevational view thereof; FIG. 5 is a left side elevational view thereof; FIG. 6 is a bottom plan view thereof; and, FIG. 7 is a rear elevational view thereof.

1 Claim, 3 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

