



US00D407712S

**United States Patent** [19]  
**Hasegawa**

[11] **Patent Number: Des. 407,712**  
[45] **Date of Patent: \*\*Apr. 6, 1999**

[54] **IMAGE INPUTTING DEVICE**

D. 363,733 10/1995 Sugimoto ..... D18/50  
D. 366,650 1/1996 McKinnon, Jr. et al. .... D14/114

[75] Inventor: **Masato Hasegawa**, Kawasaki, Japan

[73] Assignee: **Canon Kabushiki Kaisha**, Tokyo, Japan

[\*\*] Term: **14 Years**

*Primary Examiner*—Freda Nunn  
*Attorney, Agent, or Firm*—Fitzpatrick, Cella, Harper & Scinto

[21] Appl. No.: **82,361**

[22] Filed: **Jan. 21, 1998**

[57] **CLAIM**

The ornamental design for an image inputting device, as shown and described.

[30] **Foreign Application Priority Data**

Jul. 22, 1997 [JP] Japan ..... 9-62314

**DESCRIPTION**

[51] **LOC (6) Cl.** ..... **14-02**

[52] **U.S. Cl.** ..... **D14/107; D18/50**

[58] **Field of Search** ..... D14/100, 105,  
D14/107, 118; D18/36, 37, 39, 50; 250/556;  
355/64, 65, 74, 81; 235/470

FIG. 1 is a front view of an image inputting device showing my new design;

FIG. 2 is a rear view thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a bottom plan view thereof;

FIG. 5 is a left side view thereof;

FIG. 6 is a right side view thereof; and,

FIG. 7 is a perspective view thereof.

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 340,232 10/1993 Yoshida ..... D14/107

**1 Claim, 4 Drawing Sheets**




FIG. 1




FIG. 2




FIG. 3






FIG. 4



*FIG. 5*



*FIG. 6*




FIG. 7

