



US00D407769S

United States Patent [19]

Sands et al.

[11] Patent Number: Des. 407,769

[45] Date of Patent: **Apr. 6, 1999

[54] EXERCISER

[76] Inventors: **Leonard Sands**, 4555 Reseda Blvd.,
Tarzana, Calif. 91356; **Johnson Kuo**,
5F., No. 6, Lane 12, Sec. 6, Hsin I Rd.,
Taipei, Taiwan

[**] Term: 14 Years

[21] Appl. No.: 87,513

[22] Filed: May 5, 1998

[51] LOC (6) Cl. 21-02

[52] U.S. Cl. D21/670; D21/665; D21/668

[58] Field of Search D21/662, 663,
D21/665, 668, 669, 670; 482/51, 52, 53,
70, 79, 80

[56] References Cited

U.S. PATENT DOCUMENTS

D. 344,993 3/1994 Laratta D21/676
D. 358,182 5/1995 Yang D21/670

5,527,253 6/1996 Wilkinson et al. 482/52
5,575,739 11/1996 Piaget et al. 482/51
5,749,809 5/1998 Lin 482/52
5,769,760 6/1998 Lin et al. 482/57

Primary Examiner—Philip S. Hyder
Attorney, Agent, or Firm—Varndell Legal Group


[57] CLAIM

The ornamental design for an exerciser, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an exerciser showing my new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a top plan view thereof;
FIG. 5 is a bottom plan view thereof;
FIG. 6 is a left side elevational view thereof; and,
FIG. 7 is a right side elevational view thereof.

1 Claim, 7 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7