



US00D407801S

United States Patent [19]
Kolada

[11] **Patent Number: Des. 407,801**
[45] **Date of Patent: **Apr. 6, 1999**

[54] **SPOUT**

[75] Inventor: **Paul P. Kolada**, Columbus, Ohio
[73] Assignee: **American Standard Inc.**, Piscataway, N.J.
[**] Term: **14 Years**

[21] Appl. No.: **20,735**
[22] Filed: **Mar. 31, 1994**
[51] **LOC (6) Cl.** **23-01**
[52] **U.S. Cl.** **D23/257**
[58] **Field of Search** D23/238-243,
D23/255-257; 4/675-678; 137/801

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 278,270	4/1985	Niemann	D23/255
D. 278,271	4/1985	Niemann	D23/255
D. 326,901	6/1992	Yost	D23/255
D. 329,688	9/1992	Yost	D23/255
D. 349,757	8/1994	Altman	D23/255

FOREIGN PATENT DOCUMENTS

88-14728 11/1989 Rep. of Korea .
88-14729 11/1989 Rep. of Korea .
88-14730 11/1989 Rep. of Korea .

OTHER PUBLICATIONS

Building Materials Collection, published on Mar. 10, 1993.
Primary Examiner—Louis S. Zarfes
Assistant Examiner—Eric Watterson


[57] **CLAIM**

The ornamental design for a spout, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the spout;
FIG. 2 is a top plan view thereof;
FIG. 3 is a front elevational view thereof;
FIG. 4 is a right side view thereof, the left side being a mirror image of the right side;
FIG. 5 is a rear elevational view thereof; and,
FIG. 6 is a bottom plan view thereof.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6