



US00D407807S

United States Patent [19] Rao

[11] **Patent Number: Des. 407,807**

[45] **Date of Patent: **Apr. 6, 1999**

[54] **ENERGY RECOVERY UNIT**

D. 144,452 4/1946 Dreyfuss D23/353
D. 318,910 8/1991 Takagi D23/351
5,461,880 10/1995 Bolton et al. 62/262

[75] Inventor: **Srikant Ram Rao**, Newtown, Pa.

[73] Assignee: **Fedders Corporation**, Liberty Corner, N.J.

Primary Examiner—Lisa Lichtenstein
Attorney, Agent, or Firm—Darby & Darby

[**] Term: **14 Years**

[57] CLAIM

[21] Appl. No.: **66,744**

The ornamental design for an energy recovery unit, as shown and described.

[22] Filed: **Feb. 20, 1997**

DESCRIPTION

[51] **LOC (6) Cl.** **23-03**

[52] **U.S. Cl.** **D23/330; D23/351; D23/353**

[58] **Field of Search** D23/330, 351-354,
D23/328; 62/262; 454/201; 165/54

FIG. 1 is a front perspective view;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a right side elevational view thereof, the left side being a mirror image thereof;
FIG. 4 is a rear elevational view thereof;
FIG. 5 is a top plan view thereof; and,
FIG. 6 is a bottom plan view thereof.

[56] References Cited

U.S. PATENT DOCUMENTS

D. 100,538 7/1936 Boothby D23/353

1 Claim, 3 Drawing Sheets





FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

