



US00D407817S

United States Patent [19]

[11] Patent Number: Des. 407,817

Macauley et al.

[45] Date of Patent: ***Apr. 6, 1999

[54] BOTTLE AND CLOSURE

[75] Inventors: **Richard Peter Macauley**, Westerville; **Patrick Edward McCallister**, Columbus, both of Ohio; **Jay Andrew Smithberger**, Evanston, Ill.; **Lewis Henry Sita**, Worthington; **Elwood Lamar Stokesbury**, Westerville, both of Ohio

[73] Assignee: **Abbott Laboratories**, Abbott Park, Ill.

[*] Notice: The term of this patent shall not extend beyond the expiration date of Pat. No. Des. 379,224.

[**] Term: **14 Years**

[21] Appl. No.: **41,268**

[22] Filed: **Jul. 10, 1995**

Related U.S. Application Data

[62] Division of Ser. No. 26,132, Jul. 20, 1994.

[51] LOC (6) Cl. **24-04**

[52] U.S. Cl. **D24/121**

[58] Field of Search D24/121, 224, D24/118, 127, 128; D9/520, 430, 573, 453, 572, 454, 445, 447; 215/329, 373, 215, 370, 374

References Cited

U.S. PATENT DOCUMENTS

| | | | | |
|------------|---------|--------------------|-------|-----------|
| D. 288,293 | 2/1987 | Arvans | | D9/370 |
| D. 289,975 | 5/1987 | Wendt | | D9/401 |
| D. 303,496 | 9/1989 | Larson | | D9/367 |
| D. 304,805 | 11/1989 | Mednis | | D9/341 |
| D. 313,177 | 12/1990 | Larson | | D9/370 |
| D. 316,965 | 5/1991 | Arvidson | | D9/370 |
| D. 330,332 | 10/1992 | Pezzoli et al. | | D9/435 |
| D. 372,090 | 7/1996 | MacCauley et al. | | D24/224 |
| D. 374,481 | 10/1996 | McCallister et al. | | D24/224 X |
| D. 376,424 | 12/1996 | Macauley et al. | | D24/121 |
| D. 379,224 | 5/1997 | McCallister et al. | | D24/121 |
| 3,096,913 | 7/1963 | Corley | | 222/183 |

| | | | | |
|-----------|---------|----------------|-------|-----------|
| 3,171,412 | 3/1965 | Braun | | 123/272 |
| 3,325,031 | 6/1967 | Singier | | 215/37 |
| 3,384,258 | 5/1968 | Singier | | 215/100 |
| 3,537,498 | 11/1970 | St. Amand | | 150/0.5 |
| 3,581,928 | 6/1971 | St. Amand | | 215/100 A |
| 3,926,341 | 12/1975 | Lhoest | | 222/92 |
| 4,013,187 | 3/1977 | Betka | | 3215/100 |
| 4,747,519 | 5/1988 | Green et al. | | 222/181 |
| 4,830,970 | 5/1989 | Madaus et al. | | D24/224 X |
| 4,934,545 | 6/1990 | Pezzoli et al. | | 215/250 |
| 4,951,845 | 8/1990 | Pezzoli et al. | | 215/250 |
| 5,123,554 | 6/1992 | Arvidson | | 215/12.2 |

Primary Examiner—Louis S. Zarfaz
Assistant Examiner—Eric Watterson
Attorney, Agent, or Firm—Brian R. Woodworth

[57] CLAIM

The ornamental design for a bottle and closure, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a bottle and closure showing our new design;

FIG. 2 is another perspective view thereof from the opposite direction of that shown in FIG. 1;

FIG. 3 is a front elevation thereof;

FIG. 4 is a rear elevation thereof;

FIG. 5 is a top view thereof;

FIG. 6 is a bottom view thereof;

FIG. 7 is a first side elevation thereof;

FIG. 8 is a second side elevation thereof for the side opposite that shown in FIG. 7;

FIG. 9 is a perspective view of a second embodiment of a bottle and closure showing our new design;

FIG. 10 is another perspective view thereof from the opposite side direction of that shown in FIG. 9;

FIG. 11 is a front elevation thereof;

FIG. 12 is a rear elevation thereof;

FIG. 13 is a top view thereof;

FIG. 14 is a bottom view thereof;

FIG. 15 is a first side elevation thereof;

FIG. 16 is a second side elevation thereof for the side opposite that shown in FIG. 15;

FIG. 17 is a perspective view of a third embodiment of a bottle and closure showing our new design;




FIG. 18 is another perspective view thereof, from the opposite direction of that shown in FIG. 17;

FIG. 19 is a front elevation thereof;

FIG. 20 is a rear elevation thereof;

FIG. 21 is a top view thereof;

FIG. 22 is a bottom view thereof;

FIG. 23 is a side elevation thereof, the opposite side elevation being the same;

FIG. 24 is a perspective view of a fourth embodiment of a bottle and closure showing our new design;

FIG. 25 is another perspective view thereof from the opposite direction of that shown in FIG. 24;

FIG. 26 is a front elevation thereof;

FIG. 27 is a rear elevation thereof;

FIG. 28 is a top view thereof;

FIG. 29 is a bottom view thereof;

FIG. 30 is a first side elevation thereof;

FIG. 31 is a second side elevation thereof for the side opposite that shown in FIG. 30;

FIG. 32 is a perspective view of a fifth embodiment of a bottle and closure showing our new design;

FIG. 33 is another perspective view thereof from the opposite direction of that shown in FIG. 32;

FIG. 34 is a front elevation thereof;

FIG. 35 is a rear elevation thereof;

FIG. 36 is a top view thereof;

FIG. 37 is a bottom view thereof; and,

FIG. 38 is a side elevation thereof, the opposite side elevation being the same.

1 Claim, 20 Drawing Sheets




FIG. 1




FIG. 2




FIG. 5




FIG. 3




FIG. 4




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 13




FIG. 11




FIG. 12




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 21




FIG. 19




FIG. 20




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 28




FIG. 26




FIG. 27




FIG. 29




FIG. 30




FIG. 31




FIG. 32




FIG. 33




FIG. 36




FIG. 34




FIG. 35




FIG. 37




FIG. 38