

US00D407945S

United States Patent [19]
Moran, IV

[11] Patent Number: Des. 407,945
[45] Date of Patent: **Apr. 13, 1999

[54] IGNITOR
[76] Inventor: Thomas J. Moran, IV, 1717
Edgewood SE., Grand Rapids, Mich.
49506
[**] Term: 14 Years
[21] Appl. No.: 29/089,045
[22] Filed: Jun. 5, 1998
[51] LOC (6) Cl. 07-99
[52] U.S. Cl. D7/416
[58] Field of Search D7/416; D27/139,
D27/154, 141, 147; 126/25 B, 409; 419/411;
431/253

4,190,034 2/1980 Wonisch .
4,214,342 7/1980 Amundsen .
4,222,734 9/1980 Nolf .
4,253,818 3/1981 Igawa et al. .
4,253,820 3/1981 Jarreau .
4,292,021 9/1981 Miyagawa .
4,315,731 2/1982 Moore .
4,502,465 3/1985 Yoshinaga et al. .
4,516,933 5/1985 Buzzi .
4,569,654 2/1986 Borghesi .
4,919,111 4/1990 Ohsawa .
5,135,388 8/1992 Pettit .
5,154,601 10/1992 Capilla .
5,300,083 4/1994 Lin et al. .
5,313,931 5/1994 Coulcher, Jr. et al. .
5,616,022 4/1997 Moran, IV .
5,738,507 4/1998 Mifune et al. 126/25 B

[56] References Cited

U.S. PATENT DOCUMENTS

D. 360,107 7/1995 Segawa D7/416
D. 360,557 7/1995 Ono et al. D7/416
D. 364,313 11/1995 Zemel D7/416
D. 364,778 12/1995 Choi D7/416
D. 379,415 5/1997 Mindle D7/416
D. 382,172 8/1997 Zemel D7/416
D. 389,699 1/1998 Hsu D7/416
D. 390,063 2/1998 Kim D7/416
D. 390,750 2/1998 Sung D7/416
2,684,531 7/1954 Smith .
2,972,035 2/1961 Miller .
3,079,980 3/1963 Mihm .
3,406,601 10/1968 Ishibashi .
3,820,185 6/1974 Phillips .
3,947,731 3/1976 Vainer .

Primary Examiner—M. N. Pandozzi
Attorney, Agent, or Firm—Young & Basile, PC


[57] CLAIM

The ornamental design for an ignitor, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view showing the ornamental design of my ignitor;
FIG. 2 is a rear elevational view thereof;
FIG. 3 is a right-side elevational view thereof;
FIG. 4 is a left-side elevational view thereof;
FIG. 5 is a top plan view thereof; and,
FIG. 6 is a bottom plan view thereof.

1 Claim, 2 Drawing Sheets






FIG-1




FIG-2




FIG-3




FIG-4




FIG-5




FIG-6