



US00D408009S

# United States Patent [19] Fukushima

[11] Patent Number: Des. 408,009

[45] Date of Patent: \*\*Apr. 13, 1999

[54] **BATTERY CHARGER**

D. 328,056 7/1992 Watanabe et al. .... D13/108  
5,805,069 9/1998 Mitsui et al. .... 320/112 X

[75] Inventor: **Hiroyuki Fukushima**, Yokohama,  
Japan

*Primary Examiner*—Joel Sincavage  
*Attorney, Agent, or Firm*—Fitzpatrick, Cella, Harper &  
Scinto

[73] Assignee: **Canon Kabushiki Kaisha**, Tokyo,  
Japan

[\*\*] Term: **14 Years**

[57] **CLAIM**

[21] Appl. No.: **29/086,858**

The ornamental design for a battery charger, as shown and  
described.

[22] Filed: **Apr. 21, 1998**

**DESCRIPTION**

[30] **Foreign Application Priority Data**

Oct. 22, 1997 [JP] Japan ..... 9-72333

FIG. 1 is a front view of a battery charger showing my new  
design;

[51] LOC (6) Cl. .... **13-02**

FIG. 2 is a rear view thereof;

[52] U.S. Cl. .... **D13/107**

FIG. 3 is a top plan view thereof;

[58] Field of Search ..... D13/107, 108,  
D13/118; 320/110, 112-115

FIG. 4 is a bottom plan view thereof;

FIG. 5 is a left side view thereof;

FIG. 6 is a right side view thereof; and,

FIG. 7 is a perspective view thereof.

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 288,432 2/1987 Nagele ..... D13/107

**1 Claim, 4 Drawing Sheets**




FIG. 2






FIG. 1



*FIG. 3*



*FIG. 4*




FIG. 5




FIG. 6




FIG. 7

