



US00D408029S

# United States Patent [19]

Rosen

[11] Patent Number: Des. 408,029

[45] Date of Patent: \*\*Apr. 13, 1999

[54] DEPLOYABLE MONITOR

[75] Inventor: John B. Rosen, Eugene, Oreg.

[73] Assignee: Rosen Product Development, Inc., Eugene, Oreg.

[\*\*] Term: 14 Years

[21] Appl. No.: 29/085,504

[22] Filed: Mar. 25, 1998

[51] LOC (6) Cl. .... 14-03

[52] U.S. Cl. .... D14/132; D14/113

[58] Field of Search ..... D14/113, 124-134; D6/513; D8/380; D12/345, 415, 418; D16/235; D19/60; D21/329; D24/158; 108/44, 137; 244/118.5; 248/917-924; 312/7.2; 340/995; 345/905; 348/148, 825, 827, 836-838, 840

### [56] References Cited

#### U.S. PATENT DOCUMENTS

D. 366,067	1/1996	Mowrey	.....	D21/329
D. 390,219	2/1998	Rosen	.....	D14/132
D. 395,458	6/1998	Smith et al.	.....	D21/329
4,438,458	3/1984	Munscher	.	
4,504,910	3/1985	Araki et al.	.....	340/995
4,620,808	11/1986	Kurtin et al.	.	
4,630,821	12/1986	Greenwald	.	
4,633,323	12/1986	Haberkern et al.	.	
4,647,980	3/1987	Steventon et al.	.	
4,708,312	11/1987	Rohr	.	
4,735,467	4/1988	Wolters	.	
4,749,364	6/1988	Arney et al.	.	
4,836,486	6/1989	Vossoughi et al.	.	
4,843,477	6/1989	Mizutani et al.	.	
4,866,515	9/1989	Tagawa et al.	.	
4,982,996	1/1991	Vottero-Fin et al.	.	
5,076,524	12/1991	Reh et al.	.	
5,144,290	9/1992	Honda et al.	.	

5,161,028	11/1992	Kawata et al.	.	
5,177,616	1/1993	Riday	.	
5,179,447	1/1993	Lain	.	
5,195,709	3/1993	Yasushi	.	
5,311,302	5/1994	Berry et al.	.	
5,335,076	8/1994	Reh et al.	.	
5,338,081	8/1994	Young et al.	.	
5,359,349	10/1994	Jambor et al.	.	
5,362,144	11/1994	Shioya et al.	.	
5,397,160	3/1995	Landry	.	
5,467,106	11/1995	Salomon	.....	345/905 X
5,547,248	8/1996	Marechal	.	
5,743,487	4/1998	Rice	.....	244/118.5 X

#### FOREIGN PATENT DOCUMENTS

4118711 6/1991 Germany .

Primary Examiner—Ted Shooman  
Assistant Examiner—Richelle Shelton  
Attorney, Agent, or Firm—Kolisch, Hartwell, Dickinson, McCormack & Heuser


### [57] CLAIM

The ornamental design for a deployable monitor, as shown and described.

#### DESCRIPTION

FIG. 1 is an isometric view of a deployable monitor constructed in accordance with the present invention, the monitor being shown in a deployed orientation; FIG. 2 is a front elevation view thereof; FIG. 3 is a rear elevation view thereof; FIG. 4 is a bottom view thereof; FIG. 5 is a top view thereof; FIG. 6 is a right-side view thereof, the left-side view being a mirror image thereof; and, FIG. 7 is a right-side view similar to that of FIG. 6, but with the monitor in a stowed orientation.

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG.4




FIG.5




FIG.6

FIG.7