



US00D408253S

**United States Patent** [19]  
**Rowlay**

[11] **Patent Number: Des. 408,253**  
[45] **Date of Patent: \*\*Apr. 20, 1999**

[54] **SCREWDRIVER HANDLE**

[75] **Inventor: Stephen Rowlay, Sheffield, United Kingdom**

[73] **Assignee: The Stanley Works Limited, United Kingdom**

[\*\*] **Term: 14 Years**

[21] **Appl. No.: 29/085,559**

[22] **Filed: Mar. 25, 1998**

[51] **LOC (6) CL. .... 08-04**

[52] **U.S. CL. .... D8/83; D8/107**

[58] **Field of Search .... D8/82, 83, 84, D8/85, 86, 87, 107; 16/110 R; 81/436, 437, 438, 439, 440, 177.1, 489**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 197,501	2/1964	Huxtable	.....	D8/83
D. 256,547	8/1980	Holland-Letz	.....	D8/83
D. 256,662	9/1980	Holland-Letz	.....	D8/83
D. 360,344	7/1995	Eggert et al.	.....	D8/83
D. 371,499	7/1996	Gomas	.....	D8/83
D. 372,411	8/1996	Ho	.....	D8/83
D. 375,669	11/1996	Shiao	.....	D8/83
D. 383,660	9/1997	Anderson	.....	D8/83
D. 384,263	9/1997	Lin	.....	D8/83
D. 384,565	10/1997	Lin	.....	D8/83
D. 386,382	11/1997	Shiao	.....	D8/83

*Primary Examiner*—Philip S. Hyder  
*Attorney, Agent, or Firm*—Peter L. Costas

[57] **CLAIM**

The ornamental design for a screwdriver handle, as shown and described.

**DESCRIPTION**

FIG. 1 is an elevational view of a screwdriver handle

showing my new design with a screwdriver blade being shown in broken line, and in which the stippling represents a portion of a color or tone different from that of the unstippled portion; the same view is presented if the screwdriver handle is rotated about its longitudinal axis through 120° and through 240°;

FIG. 2 is an elevational view of the screwdriver handle rotated 180° about its longitudinal axis from the position of FIG. 1; the same view is presented if the screwdriver handle is further rotated about its longitudinal axis through 120° and through 240°;

FIG. 3 is an elevational view of the screwdriver rotated 90° about its longitudinal axis from the position of FIG. 2; the same view is presented if the handle is further rotated about its longitudinal axis through 120° and through 240°;

FIG. 4 is a top view of the upper end of the screwdriver handle as seen in FIGS. 1 and 2;

FIG. 5 is a cross sectional view along the line 5—5 of FIG. 1;

FIG. 6 is a cross sectional view along the line 6—6 of FIG. 1;

FIG. 7 is a cross sectional view along the line 7—7 of FIG. 1;


FIG. 8 is a view similar to FIG. 2 of another embodiment of the screwdriver handle having the same shape as the preceding Figures, but having top and bottom portions which are transparent; and

FIG. 9 is a cross sectional view along the line 9—9 of FIG. 4; and,

FIG. 10 is a bottom plan view of the handle of FIG. 1.

The broken line showing of the screwdriver blade is for illustrative purposes only and forms no part of the claimed design.

**1 Claim, 3 Drawing Sheets**






FIG. 1







FIG. 2




*FIG. 3*




*FIG. 4*




*FIG. 5*




*FIG. 6*




*FIG. 7*



*FIG. 8*



*FIG. 9*



*FIG. 10*