

US00D408263S

United States Patent [19]
Briggs

[11] **Patent Number: Des. 408,263**
[45] **Date of Patent: **Apr. 20, 1999**

[54] **SASH LOCK**
[75] **Inventor: Jeffrey M. Briggs, Mountaintop, Pa.**
[73] **Assignee: Allen-Stevens Corp., West Hazleton, Pa.**
[**] **Term: 14 Years**
[21] **Appl. No.: 29/086,986**
[22] **Filed: Apr. 24, 1998**
[51] **LOC (6) Cl. 08-07**
[52] **U.S. Cl. D8/337**
[58] **Field of Search D8/337, 330, 331; 292/111, 240, 241, DIG. 33**

D. 382,192 8/1997 Plummer D8/337
4,991,886 2/1991 Nolte et al. 292/DIG. 33 X

Primary Examiner—Brian N. Vinson
Attorney, Agent, or Firm—Hill & Simpson

[57] **CLAIM**

The ornamental design for a “sash lock”, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective of a sash lock of this invention. FIG. 2 is a front elevational view of the sash lock of FIG. 1. FIG. 3 is a rear elevational view of the sash lock of FIG. 1. FIG. 4 is a top plan view of the sash lock of FIG. 1. FIG. 5 is a bottom plan of the sash lock of FIG. 1. FIG. 6 is a side view from the right side of FIG. 1 of the sash lock of this invention; and, FIG. 7 is a side view from the left side of FIG. 1 of the sash lock of this invention.

[56] **References Cited**
U.S. PATENT DOCUMENTS
D. 293,548 1/1988 Bates et al. D8/337
D. 316,509 4/1991 Nolte D8/337
D. 382,191 8/1997 Plummer D8/337

1 Claim, 2 Drawing Sheets




FIG.1




FIG.2




FIG.3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

