



US00D408310S

United States Patent [19]
Hashizume

[11] **Patent Number: Des. 408,310**
[45] **Date of Patent: **Apr. 20, 1999**

[54] **REFLECTOR**

D. 339,647 9/1993 Kawashima et al. D26/1
4,345,178 8/1982 Pappas et al. D26/1

[75] **Inventor: Toshiaki Hashizume, Suwa, Japan**

[73] **Assignee: Seiko Epson Corporation, Tokyo, Japan**

Primary Examiner—Marcus A. Jackson
Attorney, Agent, or Firm—Oliff & Berridge, PLC

[**] **Term: 14 Years**

[57] **CLAIM**

[21] **Appl. No.: 29/088,112**

The ornamental design for reflector, as shown and described.

[22] **Filed: May 15, 1998**

DESCRIPTION

[30] **Foreign Application Priority Data**

Jan. 23, 1998 [JP] Japan 10-1586

FIG. 1 is a front elevational view of a reflector in accordance with my inventive design;

[51] **LOC (6) CL** **10-05**

FIG. 2 is a top view thereof;

[52] **U.S. Cl.** **D10/111; D26/1**

FIG. 3 is a bottom plan view thereof;

[58] **Field of Search** D26/1, 2, 3, 4,
D26/24, 118, 128-137; 313/1, 25, 113,
315, 316, 317, 318; 362/341-350, 310,
311; D10/111, 121

FIG. 4 is a left side view thereof;

FIG. 5 is a right side view thereof;

FIG. 6 is a rear elevational view thereof; and,



FIG. 7 is a perspective view thereof.

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 239,609 4/1976 Tsuyama D10/111

1 Claim, 2 Drawing Sheets






Figure 2




Figure 4




Figure 1




Figure 5




Figure 3




Figure 6




Figure 7