US00D408359S

United States Patent [19]

Filz

[11] **Patent Number: Des. 408,359**

[45] **Date of Patent: **Apr. 20, 1999**

[54] **TRANSITION BOARD BETWEEN FAST SCSI CONNECTORS AND WIDE SCSI CONNECTORS**

[75] Inventor: **Arthur Filz**, Maynard, Mass.

[73] Assignee: **Advanced Modular Solutions, Inc.**, Boxborough, Mass.

[**] Term: **14 Years**

[21] Appl. No.: **29/080,638**

[22] Filed: **Dec. 12, 1997**

[51] **LOC (6) Cl.** **13-03**

[52] **U.S. Cl.** **D13/147**

[58] **Field of Search** D13/146, 147; 439/78, 79, 540.1, 541.5, 607, 170, 492, 497, 928.1, 929

[56] **References Cited**

U.S. PATENT DOCUMENTS

4,902,242	2/1990	Davis et al.	439/607
4,941,841	7/1990	Darden et al.	439/377
5,772,453	6/1998	Tan et al.	439/79
5,808,867	9/1998	Wang	361/695

Primary Examiner—Joel Sincavage

Attorney, Agent, or Firm—Testa, Hurwitz & Thibeault, LLP

[57] **CLAIM**

The ornamental design of a transition board between fast SCSI connectors and wide SCSI connectors, as shown and described.

DESCRIPTION

FIG. **1** is a top plan view of a first embodiment of a transition board between fast SCSI connectors and wide SCSI connectors;

FIG. **2** is a front elevational view of a first embodiment of a transition board between fast SCSI connectors and wide SCSI connectors;

FIG. **3** is a bottom plan view of a first embodiment of a transition board between fast SCSI connectors and wide SCSI connectors;

FIG. **4** is a back elevational view of a first embodiment of a transition board between fast SCSI connectors and wide SCSI connectors;

FIG. **5** is a side elevational view of a first embodiment of a transition board between fast SCSI connectors and wide SCSI connectors; the opposite side is a mirror image thereof;

FIG. **6** is a top plan view of a second embodiment of a transition board between fast SCSI connectors and wide SCSI connectors;

FIG. **7** is a front elevational view of a second embodiment of a transition board between fast SCSI connectors and wide SCSI connectors;

FIG. **8** is a bottom plan view of a second embodiment of a transition board between fast SCSI connectors and wide SCSI connectors;

FIG. **9** is a back elevational view of a second embodiment of a transition board between fast SCSI connectors and wide SCSI connectors;

FIG. **10** is a side elevational view of a second embodiment of a transition board between fast SCSI connectors and wide SCSI connectors; the opposite side is a mirror image thereof;

FIG. **11** is a top plan view of a third embodiment of a transition board between fast SCSI connectors and wide SCSI connectors;

FIG. **12** is a front elevational view of a third embodiment of a transition board between fast SCSI connectors and wide SCSI connectors;

FIG. **13** is a bottom plan view of a third embodiment of a transition board between fast SCSI connectors and wide SCSI connectors;

FIG. **14** is a back elevational view of a third embodiment of a transition board between fast SCSI connectors and wide SCSI connectors;

FIG. **15** is a side elevational view of a third embodiment of a transition board between fast SCSI connectors and wide SCSI connectors; the opposite side is a mirror image thereof;

FIG. **16** is a top plan view of a fourth embodiment of a transition board between fast SCSI connectors and wide SCSI connectors;

FIG. **17** is a front elevational view of a fourth embodiment of a transition board between fast SCSI connectors and wide SCSI connectors;

FIG. **18** is a bottom plan view of a fourth embodiment of a transition board between fast SCSI connectors and wide SCSI connectors;







FIG. **19** is a back elevational view of a fourth embodiment of a transition board between fast SCSI connectors and wide SCSI connectors;

FIG. **20** is a side elevational view of a fourth embodiment of a transition board between fast SCSI connectors and wide SCSI connectors; the opposite side is a mirror image thereof;

FIG. **21** is a top plan view of a fifth embodiment of a transition board between fast SCSI connectors and wide SCSI connectors;

FIG. **22** is a front elevational view of a fifth embodiment of a transition board between fast SCSI connectors and wide SCSI connectors;

FIG. **23** is a bottom plan view of a fifth embodiment of a transition board between fast SCSI connectors and wide SCSI connectors;

FIG. **24** is a back elevational view of a fifth embodiment of a transition board between fast SCSI connectors and wide SCSI connectors;

FIG. **25** is a side elevational view of a fifth embodiment of a transition board between fast SCSI connectors and wide SCSI connectors; the opposite side is a mirror image thereof;

FIG. **26** is a top plan view of a sixth embodiment of a transition board between fast SCSI connectors and wide SCSI connectors;

FIG. **27** is a front elevational view of a sixth embodiment of a transition board between fast SCSI connectors and wide SCSI connectors;

FIG. **28** is a bottom plan view of a sixth embodiment of a transition board between fast SCSI connectors and wide SCSI connectors;

FIG. **29** is a back elevational view of a sixth embodiment of a transition board between fast SCSI connectors and wide SCSI connectors; and,

FIG. **30** is a side elevational view of a sixth embodiment of a transition board between fast SCSI connectors and wide SCSI connectors; the opposite side is a mirror image thereof.

The portion of the article shown in broken lines throughout the views are for illustrative purposes only and form no part of the claimed design.

1 Claim, 6 Drawing Sheets



FIG. 1



FIG. 2



FIG. 3



FIG. 4



FIG. 5



FIG. 6



FIG. 7



FIG. 8



FIG. 9



FIG. 10



FIG. 11



FIG. 12



FIG. 13



FIG. 14



FIG. 15



FIG. 16



FIG. 17



FIG. 18



FIG. 19



FIG. 20



FIG. 21



FIG. 22



FIG. 23



FIG. 24



FIG. 25



FIG. 26



FIG. 27



FIG. 28



FIG. 29



FIG. 30