

United States Patent [19]

Filz

- [54] TRANSITION BOARD BETWEEN FAST SCSI CONNECTORS AND WIDE SCSI CONNECTORS
- [75] Inventor: Arthur Filz, Maynard, Mass.
- [73] Assignee: Advanced Modular Solutions, Inc., Boxborough, Mass.
- [**] Term: 14 Years

FIG. 4 is a back elevational view of a first embodiment of a transition board between fast SCSI connectors and wide SCSI connectors;

FIG. 5 is a side elevational view of a first embodiment of a transition board between fast SCSI connectors and wide SCSI connectors; the opposite side is a mirror image thereof; FIG. 6 is a top plan view of a second embodiment of a transition board between fast SCSI connectors and wide SCSI connectors;

FIG. 7 is a front elevational view of a second embodiment of a transition board between fast SCSI connectors and wide SCSI connectors;

[21] Appl. No.: 29/080,638

[22] Filed: Dec. 12, 1997

- [51] LOC (6) CL 13-03
- [52] U.S. Cl. D13/147

[56] **References Cited**

U.S. PATENT DOCUMENTS

4,902,242	2/1990	Davis et al
4,941,841	7/1990	Darden et al
5,772,453	6/1998	Tan et al
5,808,867	9/1998	Wang

Primary Examiner—Joel Sincavage Attorney, Agent, or Firm—Testa, Hurwitz & Thibeault, LLP

CLAIM

[57]

FIG. 8 is a bottom plan view of a second embodiment of a transition board between fast SCSI connectors and wide SCSI connectors;

FIG. 9 is a back elevational view of a second embodiment of a transition board between fast SCSI connectors and wide SCSI connectors;

FIG. 10 is a side elevational view of a second embodiment of a transition board between fast SCSI connectors and wide SCSI connectors; the opposite side is a mirror image thereof; FIG. 11 is a top plan view of a third embodiment of a transition board between fast SCSI connectors and wide SCSI connectors;

FIG. 12 is a front elevational view of a third embodiment of a transition board between fast SCSI connectors and wide SCSI connectors;

FIG. 13 is a bottom plan view of a third embodiment of a transition board between fast SCSI connectors and wide SCSI connectors;

FIG. 14 is a back elevational view of a third embodiment of a transition board between fast SCSI connectors and wide SCSI connectors;

The ornamental design of a transition board between fast SCSI connectors and wide SCSI connectors, as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of a first embodiment of a transition board between fast SCSI connectors and wide SCSI connectors;

FIG. 2 is a front elevational view of a first embodiment of a transition board between fast SCSI connectors and wide SCSI connectors;

FIG. 3 is a bottom plan view of a first embodiment of a transition board between fast SCSI connectors and wide SCSI connectors;

FIG. 15 is a side elevational view of a third embodiment of a transition board between fast SCSI connectors and wide SCSI connectors; the opposite side is a mirror image thereof; FIG. 16 is a top plan view of a fourth embodiment of a transition board between fast SCSI connectors and wide SCSI connectors;

FIG. 17 is a front elevational view of a fourth embodiment of a transition board between fast SCSI connectors and wide SCSI connectors;

FIG. 18 is a bottom plan view of a fourth embodiment of a transition board between fast SCSI connectors and wide SCSI connectors;









Des. 408,359 Page 2

FIG. 19 is a back elevational view of a fourth embodiment of a transition board between fast SCSI connectors and wide SCSI connectors;

FIG. 20 is a side elevational view of a fourth embodiment of a transition board between fast SCSI connectors and wide SCSI connectors; the opposite side is a mirror image thereof; FIG. 21 is a top plan view of a fifth embodiment of a transition board between fast SCSI connectors and wide SCSI connectors;

FIG. 22 is a front elevational view of a fifth embodiment of a transition board between fast SCSI connectors and wide SCSI connectors; FIG. 23 is a bottom plan view of a fifth embodiment of a transition board between fast SCSI connectors and wide SCSI connectors; FIG. 24 is a back elevational view of a fifth embodiment of a transition board between fast SCSI connectors and wide SCSI connectors; FIG. 25 is a side elevational view of a fifth embodiment of a transition board between fast SCSI connectors and wide SCSI connectors; FIG. 25 is a side elevational view of a fifth embodiment of a transition board between fast SCSI connectors and wide SCSI connectors; the opposite side is a mirror image thereof; FIG. 26 is a top plan view of a sixth embodiment of a transition board between fast SCSI connectors and wide SCSI connectors;

FIG. 27 is a front elevational view of a sixth embodiment of a transition board between fast SCSI connectors and wide SCSI connectors;

FIG. 28 is a bottom plan view of a sixth embodiment of a transition board between fast SCSI connectors and wide SCSI connectors;

FIG. 29 is a back elevational view of a sixth embodiment of

a transition board between fast SCSI connectors and wide SCSI connectors; and,

FIG. 30 is a side elevational view of a sixth embodiment of a transition board between fast SCSI connectors and wide SCSI connectors; the opposite side is a mirror image thereof. The portion of the article shown in broken lines throughout the views are for illustrative purposes only and form no part of the claimed design.

1 Claim, 6 Drawing Sheets

4

Apr. 20, 1999

Sheet 1 of 6

Des. 408,359



FIG. 2



FIG. 3



FIG. 5

Apr. 20, 1999

Sheet 2 of 6

Des. 408,359



FIG. 6



FIG. 7





FIG. 10

Apr. 20, 1999

Sheet 3 of 6

Des. 408,359



FIG. 12





FIG. 15

Apr. 20, 1999

Sheet 4 of 6

Des. 408,359



FIG. 16



FIG. 17



FIG. 18



FIG. 20

.

Apr. 20, 1999

Sheet 5 of 6

Des. 408,359





FIG. 23



FIG. 25

Apr. 20, 1999

Sheet 6 of 6

• .

Des. 408,359

.



FIG. 27





FIG. 30